BIJOA

The Biochemical Journal

INDEX TO VOLUME 129

THE UNIVERSITY OF MICHIGAN
JAN 23 1973
MEDICAL LIBRARY

London: The Biochemical Society © 1972
Price 20p. net (U.S.A. $0.50)

THE BIOCHEMICAL SOCIETY

OFFICERS AND COMMITTEE, 1972–73

Chairman of the Committee
T. W. Goodwin, F.R.S.

Treasurer
D. F. Elliott

Committee Secretary
A. N. Davison

Meetings Secretary
H. M. Keir

International Secretary
A. P. Mathias

Committee
R. B. Beechey
E. A. Dawes
R. M. C. Dawson
D. T. Elmore
K. Griffiths
R. Hoffenberg *‡
G. D. Hunter
V. H. T. James
C. F. Mills
C. A. Pasternak†
P. J. Randle
D. S. Robinson†
T. A. Scott
T. F. Slater
Ruth E. van Heyningen
D. G. Walker*†
A. M. White
T. S. Work

**Ex officio* Member of Committee

†Representative of Editorial Board of the *Biochemical Journal.*

‡Representative of Editorial Board of *Clinical Science.*

Symposium Organizer
R. M. S. Smellie

The Biochemical Society exists to advance the science of biochemistry through meetings and publications. Eleven meetings a year are held, each at a different place; original papers are presented and special topics are discussed at symposia and colloquia.

Persons interested in biochemistry are eligible for election as Members. Details of further facilities accorded to Members, and forms of application for membership, are available from the Executive Secretary, The Biochemical Society, 7 Warwick Court, London WC1R 5DP [01-242 1076 (4 lines.)]

The *Biochemical Journal* is published and distributed by the Biochemical Society. It is published twice monthly, in four or more volumes per year. It is planned that five volumes will appear in 1972. The index for each volume is published separately.

Subscriptions to the *Biochemical Journal*. For non-members of the Biochemical Society the subscription to the Journal at the present rate of publication is £45 per year (£9 per volume). For non-members in the U.S.A. the subscription is $112 per year (subject to exchange variation) ($22.50 per volume). All subscriptions are payable in advance at the time of ordering. Orders and subscriptions should be sent to the Biochemical Society (Publications), P.O. Box 32, Commerce Way, Whitehall Road Industrial Estate, Colchester CO2 8HP, Essex.

Claims regarding issues lost or damaged in transit should be addressed to the Biochemical Society at the address in the preceding paragraph. No claims can be entertained if they are received later than three months after the date of posting of the Journal.

Back Numbers. Enquiries for volumes 1–19 should be addressed to William Dawson & Sons Ltd., Back Issues Department, Cannon House, Park Farm Road, Folkestone, Kent. Quotations for available issues of subsequent volumes and parts may be obtained on application to Walter J. Johnson Ltd., 24/28 Oval Road, London NW1 7DX, or to The Biochemical Society (Publications), P.O. Box 32, Commerce Way, Whitehall Road Industrial Estate, Colchester CO2 8HP, Essex.

Advertisements. Applications for advertising space should be sent to the Advertising Department, The Biochemical Society, 7 Warwick Court, London WC1R 5DP [01-242 1076 (4 lines.)] Copy is required eight weeks before publication date. Rate cards are available on request.

Microfilms. Volumes 1–89 (1906–1963) have been recorded on microfilm by the EP Group, Microfilm Division, Bradford Road, East Ardsley, Wakefield, Yorks. Details are available from the firm or the Biochemical Society.

Index of Authors

Note. Pages in *Proceedings of the Biochemical Society* are distinguished by P.

ABRAHAM, K. A., ANDERSEN, K. J. & ROGNES, A. Studies on deoxyribonucleic acid-dependent ribonucleic acid polymerase from *Escherichia coli*. Variations of the enzyme activity during growth 291–299

ABRAHAMS, J. C. & HAY, J. Effect of pseudorabies virus on the metabolism of low-molecular-weight ribonucleic acid in BHK-C13 cells 39P–40P

ADLARD, B. P. F. & DE SOUZA, S. W. The effect of anoxia on cerebral acid hydrolases in the five-day-old rat 1079–1084

AINSWORTH, S. *see* MACFARLANE, N. 1035–1047

AKHTAR, M., FREEMAN, C. W., RAHIMTULA, A. D. & WILTON, D. C. A novel olefinic rearrangement. The enzymic conversion of cholesta-7,9-dien-3β-ol into cholesta-8,14-dien,3β-ol 225–229

ALLEYNE, G. A. O. *see* ROOBOL, A. 231–239

AMRUTAVALLI, J. *see* RAJAMANICKAM, C. 381–387

ANDERSEN, K. J. *see* ABRAHAM, K. A. 291–299

ANTONINI, E. *see* PHELPS, C. F. 891–896

ASATO, N. & RAND, A. G., JR. Fractionation and isolation of the multiple forms of prorennin (prochymosin) 841–846

ASHWORTH, T. S., BROWN, E. G. & ROBERTS, F. M. Biosynthesis of willardiine and isowillardiine in germinating pea seeds and seedlings 897–905

ASSISI, F. *see* MCDONAGH, A. F. 797–800

AU, W. Y. W., DRING, L. G., GRAHAME-SMITH, D. G., ISAAC, P. & WILLIAMS, R. T. The metabolism of ^{14}C-labelled α-methyldopa in normal and hypertensive human subjects 1–10

AURICCHIO, F., MOLLICA, L. & LIGUORI, A. Inactivation of tyrosine aminotransferase in neutral homogenates and rat liver slices 1131–1138

AUSTOKER, J., COX, D. & MATHIAS, A. P. Fractionation of nuclei from brain by zonal centrifugation and a study of the ribonucleic acid polymerase activity in the various classes of nuclei 1139–1155

BACON, J. S. D., GORDON, A. H. & JONES, D. Degradation of sclerotan, a β-(1→3)-glucan, by enzymes from fungi parasitic on sclerotia 27P–28P

BAILEY, A. J. *see* DAVIS, N. R. 91–96

BAILEY, E. *see* HAUSER, C. A. 21P–22P; WEBB, J. R. 21P

BAILEY-WOOD, R. *see* TUDBALL, N. 419–425

BANERJEE, S. P. & WONG, S. M. E. Potassium ion-stimulated and sodium ion-dependent adenosine diphosphate–adenosine triphosphate exchange activity in a kidney microsomal fraction 775–779

BANNISTER, D. W. & BURNS, A. B. Pepsin treatment of avian skin collagen. Effects on solubility, subunit composition and aggregation properties 677–681

BARON, D. N. *see* ISLAM, M. 1003–1011

BAR-TANA, J., ROSE, G. & SHAPIRO, B. Microsomal palmitoyl-coenzyme A synthetase from rat liver. Partial and exchange reactions 1101–1107

BARTON, R. J. Anomalous behaviour of bovine serum albumin in electrophoresis on non-denaturing polyacrylamide gel 983–985

BATES, J. *see* MARSHALL, V. M. 26P; ROLTON, H. A. 14P–15P

BELL, J. L. *see* ISLAM, M. 1003–1011

BENNETT, H. P. J., ELLIOTT, D. F., EVANS, B. E., LOWRY, P. J. & MCMARTIN, C. Complete amino acid analysis of peptides and proteins after hydrolysis by a mixture of Sepharose-bound peptidases 695–701

BILLIMORIA, J. D. *see* HARVEY, M. S. 17P

BILLING, B. H. *see* MURPHY, G. M. 491–494

BITAR, K. G., VINOGRADOV, S. N., NOLAN, C., WEISS, L. J. & MARGOLIASH, E. The primary structure of cytochrome *c* from the rust fungus *Ustilago sphaerogena* 561–569

BLAKE, R. L. Animal model for hyperprolinaemia: deficiency of mouse proline oxidase activity 987–989

BLOOM, G. D., HELLMAN, B., IDAHL, L.-Å., LERNMARK, Å., SEHLIN, J. & TÄLJEDAL, I.-B. Effects of organic mercurials on mammalian pancreatic β-cells. Insulin release, glucose transport, glucose oxidation, membrane permeability and ultrastructure 241–254

BOORMAN, K. N. *see* LOCKE, E. 20P

BOOTH, J. *see* KEYSELL, G. R. 41P–42P

BORN, G. V. R. *see* MICHAL, F. 977–978

BOXER, D. H. *see* TANNER, M. J. A. 333–347

BOYD, G. S. *see* SIMPSON, E. R. 10P–11P

BOYNS, A. R. *see* GOLDER, M. P. 7P–8P, 25P

BROOKS, D. E. & MANN, T. Relation between the oxidation state of nicotinamide–adenine dinucleotide and the metabolism of spermatozoa 1023–1034

BROWN, E. G. *see* ASHWORTH, T. S. 897–905

BRUCKDORFER, K. R., KHAN, I. H. & YUDKIN, J. Fatty acid synthetase activity in the liver and adipose tissue of rats fed with various carbohydrates 439–446

BRUNDISH, D. E. & WADE, R. The synthesis of β-corticotrophin-(1–24)-tetracosapeptide (Synacthen) of high specific radioactivity 23P

BRUNORI, M. *see* PHELPS, C. F. 891–896

BUCHOWICZ, J. *see* TOMASZEWSKI, M. 183–186

BUICK, R. N. & HARRIS, W. J. A factor responsible for thymineless death in *Bacillus subtilis* 49P

BULLOCK, G. R., GILLAM, E. A., LOWRY, P. J., MCMARTIN, C. & PETERS, J. Observations on the fate of adrenocorticotrophin in isolated rat adrenal-cell suspensions and the separation of an enriched adrenocorticotrophin-sensitive steroidogenic cell fraction 23P–24P

BURDON, R. H. *see* SHENKIN, A. 51P

BURNS, A. B. *see* BANNISTER, D. W. 677–681

BUTT, V. S. *see* HALLIWELL, B. 1157–1158

BUTTERY, P. J. *see* HAWKES, S. E. 27P; LOCKE, E. 20P

BYGRAVE, F. L. *see* SPENCER, T. 355–365

CAIN, R. B. *see* WILLETTS, A. J. 389–402

CALDWELL, J., DRING, L. G. & WILLIAMS, R. T. Biliary excretion of amphetamine and methamphetamine in the rat 25–29

CALDWELL, J., DRING, L. G. & WILLIAMS, R. T. Metabolism of [^{14}C]methamphetamine in man, the guinea pig and the rat 11–22

CALDWELL, J., DRING, L. G. & WILLIAMS, R. T. Norephedrines as metabolites of [^{14}C]amphetamine in urine in man 23–24

CAMMACK, R. *see* RAO, K. K. 1063–1070, 1159–1162

CAMPBELL, A. M. *see* JOLLY, D. J. 42P
CAPPS, M. J. *see* O,CONNOR, P. J. 519–528
CARRERA, D. *see* WELLER, M. 113–121
CARTENÌ-FARINA, M. *see* ZAPPIA, V. 703–709
CASCARANO, J. *see* WILSON, M. A. 209–218
CAVIA, E. & WEBB, T. E. The polyamine content in two slow-growing rat hepatomas 223–224
CAWLEY, T. N., HARRINGTON, M. G. & LETTERS, R. A study of the phosphate linkages in phosphomannan in cells walls of *Saccharomyces cerevisiae* 711–720
CHAIN, E. B. & SENDER, P. M. Insulin and protein synthesis in the perfused rat heart 13P–14P
CHAIN, E. B. & SENDER, P. M. Turnover rates of myocardial proteins in the rat 13P
CHALKLEY, R. *see* OLIVER, D. 349–353
CHASE, J. F. A. & TUBBS, P. K. Specific inhibition of mitochondrial fatty acid oxidation by 2-bromopalmitate and its coenzyme A and carnitine esters 55–65
CHESHIRE, M. V. & THOMPSON, S. J. Configuration of soil arabinose 19P
CLEMENS, M. J. Influence of amino acid supply on protein synthesis by rat liver *in vitro* 3P–5P
COLEMAN, G. *see* GRANT, M. A. 483–490
COONEY, D. A. & MILMAN, H. A. A radiometric technique for measuring L-asparagine in picomole quantities 953–960
CORRIGALL, A. *see* KELMAN, L. 805–809
COULSON, A. F. W. *see* DE LA MARE, S. 321–331; PUTMAN, S. J. 301–310
COX, D. *see* AUSTOKER, J. 1139–1155
CRAIG, A. W. *see* O'CONNOR, P. J. 519–528
CREETH, J. M. *see* HOLT, J. C. 665–676
CUMMING, R. L. C. *see* MOORE, M. R. 43P
CURZON, G. *see* YOUNG, S. N. 273–283

DANIEL, J. W., GAGE, J. C. & LEFEVRE, P. A. The metabolism of phenylmercury by the rat 961–967
DAVENPORT, H. E. & DUPONT, M. S. The enzymic hydrolysis of malonated flavone glycosides 18P–19P
DAVIES, D. D. & DAVIES, S. Purification and properties of L(+)-lactate dehydrogenase from potato tubers 831–839
DAVIES, P., FAHMY, A. R., PIERREPOINT, C. G. & GRIFFITHS K. Hormonal effects *in vitro* on prostatic ribonucleic acid polymerase 1167–1169
DAVIES, S. *see* DAVIES, D. D. 831–839
DAVIS, B. & LAZARUS, N. R. Insulin release from mouse islets. Effect of glucose and hormones on adenylate cyclase 373–379
DAVIS, N. R. & BAILEY, A. J. The chemistry of the collagen cross-links. A convenient synthesis of the reduction products of several collagen cross-links and cross-link precursors 91–96
DAVISON, M. J., DOWNIE, J. A. & GARLAND, P. B. Giant mitochondria in iron- or copper-deficient *Candida utilis* 46P–47P
DAY, H. J. *see* HOLMSEN, H. 67–82
DE LA MARE, S., COULSON, A. F. W., KNOWLES, J. R., PRIDDLE, J. D. & OFFORD, R. E. Active-site labelling of triose phosphate isomerase. The reaction of bromohydroxyacetone phosphate with a unique glutamic acid residue and the migration of the label to tyrosine 321–331
DE SOUZA, S. W. *see* ADLARD, B. P. F. 1079–1084
DEACON, A. C. *see* RUTHERFORD, P. P. 511–512
DELLA PIETRA, G. *see* ZAPPIA, V. 703–709
DENTON, R. M. *see* MARTIN, B. R. 763–773
DICKERSON, A. G. A β-D-fructofuranosidase from *Claviceps purpurea* 263–272
DILS, R. *see* FORSYTH, I. A. 929–935
DIXON, H. B. F. A reaction of glucose with peptides 203–208
DIXON, M. The graphical determination of K_m and K_i 197–202
DOWNIE, J. A. & GARLAND, P. B. A mutant of *Candida utilis* with a novel terminal oxidase 47P
DOWNIE, J. A. *see also* DAVISON, M. J. 46P–47P
DRASAR, B. S., RENWICK, A. G. & WILLIAMS, R. T. The role of the gut flora in the metabolism of cyclamate 881–890
DRING, L. G. *see* AU, W. Y. W. 1–10; CALDWELL, J. 11–22, 23–24, 25–29
DRUYAN, R. & KELLY, A. The effect of exogenous δ-aminolaevulinate on rat liver haem and cytochromes 1095–1099
DUPONT, M. S. *see* DAVENPORT, H. E. 18P–19P
DUTTON, G. J. & ILLING, H. P. A. Mechanism of biosynthesis of thio-β-D-glucuronides and thio-β-D-glucosides 539–550
DUTTON, G. J. *see also* ILLING, H. P. A. 15P

EDDY, A. A. *see* GIBB, L. E. 979–981
ELLIOTT, D. F. *see* BENNETT, H. P. J. 695–701
ELLORY, J. C. *see* O'DONNELL, J. M. 45P–46P
ENSER, M. Clearing-factor lipase in obese–hyperglycaemic mice (*ob*/*ob*) 447–453
EVANS, B. E. *see* BENNETT, H. P. J. 695–701
EVANS, M. C. W. *see* RAO, K. K. 1063–1070, 1159–1162

FAHMY, A. R. *see* DAVIES, P. 1167–1169
FARLEY, I. R. T. *see* PUTMAN, S. J. 301–310
FAUSTO, N. The conversion of orotic acid into uridine 5′-monophosphate by isolated perfused normal and regenerating rat livers 811–820
FEVERY, J., LEROY, P. & HEIRWEGH, K. P. M. Enzymic transfer of glucose and xylose from uridine diphosphate glucose and uridine diphosphate xylose to bilirubin by untreated and digitonin-activated preparations from rat liver 619–633
FEVERY, J., LEROY, P., VAN DE VIJVER, M. & HEIRWEGH, K. P. M. Structures of bilirubin conjugates synthesized *in vitro* from bilirubin and uridine diphosphate glucuronic acid, uridine diphosphate glucose or uridine diphosphate xylose by preparations from rat liver 635–644
FEVERY, J. *see also* HEIRWEGH, K. P. M. 605–618
FISHER, R. R. *see* GUILLORY, R. J. 471–481
FITTON-JACKSON, S. *see* HARDINGHAM, T. E. 101–112
FLENGSRUD, R., ØSTERUD, B. & PRYDZ, H. Inhibition of the thrombin–fibrinogen reaction by a macromolecular factor from rat liver 83–89
FORD, P. J. The genes for ribosomal ribonucleic acid 32P–33P
FORSYTH, I. A., STRONG, C. R. & DILS, R. Interactions of insulin, corticosterone and prolactin in promoting milk-fat synthesis by mammary explants from pregnant rabbits 929–935

FRASER, L., MITCHELL, A. I. & HARRIS, W. J. A comparison of the utilization of thymine and thymidine as precursors for deoxyribonucleic acid synthesis in *Bacillus subtilis*, and their specific inhibition by 6-(*p*-hydroxyphenylazo)uracil and caffeine 49P–50P
FREEMAN, C. W. *see* AKHTAR, M. 225–229
FREER, J. H. *see* OWEN, P. 907–917
FRITH, L. *see* KELMAN, L. 805–809
FROSCIO, M. *see* MURRAY, A. W. 995–1002
FUNG, K. K. & KALANT, N. Phospholipid of the rat glomerular basement membrane in experimental nephrosis 733–741
FURNESS, M. E. *see* TATTERSALL, M. H. N. 48P–49P
FÜRST, P., JOSEPHSON, B. & PHILIPSON, B. Introduction of ^{15}N into proteins of the rat 12P

GAGE, J. C. *see* DANIEL, J. W. 961–967
GAINEY, P. A., PESTELL, T C. & PHELPS, C. F. A study of the subunit structure and the thiol reactivity of bovine liver uridine diphosphate glucose dehydrogenase 821–830
GALLIARD, T. & PHILLIPS, D. R. The enzymic conversion of linoleic acid into 9-(nona-1′,3′-dienoxy)non-8-enoic acid, a novel unsaturated ether derivative isolated from homogenates of *Solanum tuberosum* tubers 743–753
GAMULIN, S. *see* NORMAN, M. R. 38P
GARLAND, P. B. *see* DAVISON, M. J. 46P–47P; DOWNIE, J. A. 47P; LAWFORD, H. G. 47P–48P
GARLICK, P. J. & MILLWARD, D. J. An appraisal of techniques for the determination of protein turnover *in vivo* 1P–2P
GARLICK, P. J. *see also* MILLWARD, D. J. 2P–3P
GARTON, G. A. *see* WAHLE, K. W. J. 15P–16P
GIBB, L. E. & EDDY, A. A. An electrogenic sodium pump as a possible factor leading to the concentration of amino acids by mouse ascites-tumour cells with reversed sodium ion concentration gradients 979–981
GIBB, W. & JEFFERY, J. Structure–activity relations for the nicotinamide–adenine dinucleotide-linked 3-hydroxy steroid oxidoreductase activity of cortisone reductase with special reference to the ring A/B junction and ring D 24P
GIBSON, K. & HARRIS, P. Aminoacyl-transfer-ribonucleic acid synthetases in myocardial tissue 14P
GIBSON, K. *see also* HEARN, K. 46P
GILLAM, E. A. *see* BULLOCK, G. R. 23P–24P
GOAD, L. J., KNAPP, F. F., LENTON, J. R. & GOODWIN, T. W. Observations on the sterol side-chain alkylation mechanism in a *Trebouxia* species 219–222
GOLDER, M. P. & BOYNS, A. R. The location of adrenocorticotrophin receptors in the adrenal cortex 7P–8P
GOLDER, M. P., BOYNS, A. R., HARPER, M. E. & GRIFFITHS, K. An effect of prolactin on prostate adenylate cyclase 25P
GOODAY, G. W. The effect of polyoxin D on morphogenesis in *Coprinus cinereus* 17P–18P
GOODWIN, T. W. *see* GOAD, L. J. 219–222
GORDON, A. H. *see* BACON, J. S. D. 27P–28P
GOULD, H. J., MARTINI, O. H. W. & KING, H. S. W. 80S Ribosomal proteins 31P–32P
GOWER, D. B. *see* SAAT, Y. A. 657–663
GRAHAM, A. B., WOOD, G. C. & WOODCOCK, B. G. Effects of protein deficiency on uridine diphosphate glucuronyltransferase activity and phospholipid composition of rat liver microsomal fraction 22P
GRAHAME-SMITH, D. G. *see* AU, W. Y. W. 1–10
GRANT, M. A. & COLEMAN, G. A study of the nature of the immediate precursor of the extracellular α-amylase of *Bacillus amyloliquefaciens*. A reappraisal 483–490
GREEN, A. & WATSON, K. Mitochondrial ribosomes of the yeast *Saccharomyces cerevisiae:* isolation 36P
GREEN, A. *see also* WATSON, K. 36P–37P
GREENAWAY, P. J. *see* LEVINE, D. 847–856
GREGORIADIS, G. & RYMAN, B. E. Lysosomal localization of β-fructofuranosidase-containing liposomes injected into rats. Some implications in the treatment of genetic disorders 123–133
GRIFFIN, M. & TRUDGILL, P. W. The metabolism of cyclopentanol by *Pseudomonas* N.C.I.B. 9872 595–603
GRIFFITHS, K. *see* DAVIES, P. 1167–1169; GOLDER, M. P. 25P
GROVER, P. L. & SIMS, P. Reactions of 'K'-region epoxides of polycyclic hydrocarbons with nucleic acids and polyribonucleotides 41P
GROVER, P. L. *see also* KEYSELL, G. R. 41P–42P
GUILLORY, R. J. & FISHER, R. R. Studies on the light-dependent synthesis of inorganic pyrophosphate by *Rhodospirillum rubrum* chromatophores 471–481
GUNN, J. M. & TAYLOR, C. B. Studies on the relationship between concentrations of hepatic metabolites and induction of glycolytic enzymes *in vivo* 20P–21P

HADJIOLOV, A. A. *see* SMUCKLER, E. A. 153–166
HALL, D. O. *see* RAO, K. K. 1063–1070, 1159–1162
HALL, T. C., SHIH, D. S. & KAESBERG, P. Enzyme-mediated binding of tyrosine to brome-mosaic-virus ribonucleic acid 969–976
HALLIWELL, B. Non-enzymic catalysis of oxalate decarboxylation by light and flavins 497–498
HALLIWELL, B. & BUTT, V. S. Flavin mononucleotide-sensitized photo-oxidation of glyoxylate in Good's buffers 1157–1158
HAPPEY, F. *see* PEARSON, C. H. 44P–45P
HARDING, J. J. Conformational changes in human lens proteins in cataract 97–100
HARDINGHAM, T. E., FITTON-JACKSON, S. & MUIR, H. Replacement of proteoglycans in embryonic chick cartilage in organ culture after treatment with testicular hyaluronidase 101–112
HARMEY, M. A. *see* LEAVER, C. J. 37P–38P
HARPER, M. E. *see* GOLDER, M. P. 25P
HARRAP, K. R. *see* TATTERSALL, M. H. N. 48P–49P
HARRINGTON, M. G. *see* CAWLEY, T. N. 711–720
HARRIS, P. *see* GIBSON, K. 14P; HEARN, K. 46P
HARRIS, R. L. *see* MILLER, A. L. 463–469
HARRIS, W. J. *see* BUICK, R. N. 49P; FRASER, L. 49P–50P
HARRISON, F. A. *see* SAAT, Y. A. 657–663
HARVEY, M. S., OWEN, J. S., SCOTT, G. H. & BILLIMORIA, J. D. The intestinal absorption of 3-*sn*-phosphatidylethanolamine in the rat 17P

HAUSER, C. A., LOCKWOOD, E. A. & BAILEY, E. Changes in the activities of some kidney enzymes during development of the rat 21P–22P
HAWKES, S. E., BUTTERY, P. J. & LEWIS, D. A method for the analysis of ^{15}N-labelled amino acids in the effluent from preparative amino acid-analysis columns 27P
HAWKINS, R. A. & WILLIAMSON, D. H. Measurements of substrate uptake by mammary gland of the rat 1171–1173
HAWKINS, R. A. *see also* MILLER, A. L. 463–469
HAY, J. *see* ABRAHAMS, J. C. 39P–40P
HEAP, R. B. *see* SAAT, Y. A. 657–663
HEARN, K., GIBSON, K. & HARRIS, P. An electron-microscopic technique for measuring ribosomal profiles from cardiac muscle 46P
HEBB, C., STEPHENS, T. C. & SMITH, M. W. Effect of environmental temperature on the kinetic properties of goldfish brain choline acetyltransferase 1013–1021
HEIRWEIGH, K. P. M., VAN DE VIJVER, M. & FEVERY, J. Assay and properties of digitonin-activated bilirubin uridine diphosphate glucuronyltransferase from rat liver 605–618
HEIRWEIGH, K. P. M. *see also* FEVERY, J. 619–633, 635–644
HELLER, J. S. & VILLEMEZ, C. L. Interaction of soluble glucosyl- and mannosyl-transferase enzyme activities in the synthesis of a glucomannan 645–655
HELLMAN, B. *see* BLOOM, G. D. 241–254
HEMS, D. A., WHITTON, P. D. & TAYLOR, E. A. Glycogen synthesis in the perfused liver of the starved rat 529–538
HENDERSON, A. R. The influence of diet on ribonucleic acid polymerase activity 6P
HENDERSON, J. F. *see* WONG, P. C. L. 1085–1094
HEWER, A. *see* KEYSELL, G. R. 41P–42P
HIDE, E. G. J. *see* PREMPEH, A. B. A. 991–994
HILL, B. T. The increased anti-tumour activity of chlorambucil after pretreatment with phenobarbitone 44P
HIROM, P. C., MILLBURN, P., SMITH, R. L. & WILLIAMS, R. T. Species variations in the threshold molecular-weight factor for the biliary excretion of organic anions 1071–1077
HOFFENBERG, R. Measurement of the synthesis of liver-produced plasma proteins with particular reference to dietary protein and amino acid supply 3P
HOLLAND, P. C. & SHERRATT, H. S. A. Biochemical effects of the hypoglycaemic compound diphenyleneiodonium. Catalysis of anion–hydroxyl ion exchange across the inner membrane of rat liver mitochondria and effects on oxygen uptake 39–54
HOLMSEN, H., DAY, H. J. & SETKOWSKY, C. A. Secretory mechanisms. Behaviour of adenine nucleotides during the platelet release reaction induced by adenosine diphosphate and adrenaline 67–82
HOLT, J. C. & CREETH, J. M. Studies of the denaturation and partial renaturation of ovalbumin 665–676
HORNBY, W. E. *see* INMAN, D. J. 255–262
HÖRTNAGL, H., WINKLER, H. & LOCHS, H. Membrane proteins of chromaffin granules. Dopamine β-hydroxylase, a major constituent 187–195
HOWELL, S. L. *see* MONTAGUE, W. 551–560
HRADEC, J. *see* KOMÁRKOVÁ, E. 367–372
HUGHES, D. E. *see* JONES, M. V. 755–761
IDAHL, L.-Å. *see* BLOOM, G. D. 241–254
ILLING, H. P. A. & DUTTON, G. J. Comparison of uridine diphosphate glucuronyltransferase activities synthesizing *S*- and *O*-β-D-glucuronides 15P
ILLING, H. P. A. *see also* DUTTON, G. J. 539–550
ILLINGWORTH, J. A. Anomalous behaviour of yeast isocitrate dehydrogenase during isoelectric focusing 1125–1130
ILLINGWORTH, J. A. Purification of yeast isocitrate dehydrogenase 1119–1124
INMAN, D. J. & HORNBY, W. E. The immobilization of enzymes on nylon structures and their use in automated analysis 255–262
ISAAC, P. *see* AU, W. Y. W. 1–10
ISLAM, M., BELL, J. L. & BARON, D. N. Purification and comparative properties of isoenzymes of nicotinamide-adenine dinucleotide phosphate-isocitrate dehydrogenase from rat heart and liver 1003–1011
ISRAËL, M. *see* MARCHBANKS, R. M. 1049–1061

JACKSON, J. F. *see* ONG, B. L. 571–581, 583–593
JACKSON, P. J. *see* RAO, K. K. 1063–1070
JACKSON, S. *see* TATTERSALL, M. H. N. 48P–49P
JANSEN, F. H. *see* MURPHY, G. M. 491–494
JEFCOATE, C. R. *see* SIMPSON, E. R. 10P–11P
JEFFERY, J. Applications of a simple staining technique for steroids on thin-layer chromatograms 26P–27P
JEFFERY, J. *see also* GIBB, W. 24P; WHITE, I. H. 24P
JOHNSON, C. E. *see* RAO, K. K. 1063–1070, 1159–1162
JOHNSON, L. R. & NELSON, D. H. The effect of adrenocorticotrophin *in vivo* on pregnenolone synthesis by adrenal mitochondria 9P–10P
JOLLY, D. J. & CAMPBELL, A. M. Tertiary-structure transitions of supercoiled deoxyribonucleic acid 42P
JONES, D. *see* BACON, J. S. D. 27P–28P
JONES, M. V. & HUGHES, D. E. The oxidation of nicotinic acid by *Pseudomonas ovalis* Chester. The terminal oxidase 755–761
JOSEPHSON, B. *see* FÜRST, P. 12P

KAESBERG, P. *see* HALL, T. C. 969–976
KALANT, N. *see* FUNG, K. K. 733–741
KAPLAN, M. J. *see* LEVINE, D. 847–856
KEIR, H. M. *see* MARSHALL, V. M. 26P; ROLTON, H. A. 14P–15P; SCHÖNHERR, O. TH. 285–290
KELLETT, G. *see* PHELPS, C. F. 891–896
KELLY, A. *see* DRUYAN, R. 1095–1099
KELMAN, L., SAUNDERS, S. J., WICHT, S., FRITH, L., CORRIGALL, A., KIRSCH, R. E. & TERBLANCHE, J. The effects of amino acids on albumin synthesis by the isolated perfused rat liver 805–809
KEMP, B. E. *see* MURRAY, A. W. 995–1002
KEYSELL, G. R., BOOTH, J., SIMS, P., GROVER, P. L. & HEWER, A. The formation of an epoxide in the microsomal metabolism of 7,12-dimethylbenz[*a*]anthracene 41P–42P
KHAN, I. H. *see* BRUCKDORFER, K. R. 439–446
KILLILEA, S. D. & O'CARRA, P. Structure of d-urobilin 1179–1182
KING, H. S. W. *see* GOULD, H. J. 31P–32P
KIRSCH, R. E. *see* KELMAN, L. 805–809
KNAPP, F. F. *see* GOAD, L. J. 219–222

KNIGHT, B. L. The effects of glucose, free fatty acids and lipid depletion on the metabolism *in vitro* of brown fat from newborn rabbits 1175–1177
KNIGHT, M. *see* MATHER, I. H. 141–152
KNOWLES, J. R. *see* DE LA MARE, S. 321–331; PLAUT, B. 311–320; PUTMAN, S. J. 301–310
KOMÁRKOVÁ, E. & HRADEC, J. Protein synthesis in the liver of rats injected with cholesteryl 14-methylhexadecanoate 367–372
KUHN, N. J. The lactogenic action of human chorionic gonadotrophin in the rat 495–496
KUMAR, A. *see* WARNER, J. R. 29P–30P
KYRTOPOULOS, S. A. & SATCHELL, D. P. N. The roles of univalent cations during catalysis by phosphate acetyltransferase derived from *Clostridium kluyveri* 1163–1166

LAWFORD, H. G. & GARLAND, P. B. Proton translocation by rat liver mitochondria with quinones as terminal acceptors 47P–48P
LAWLEY, P. D. *see* O'CONNOR, P. J. 519–528
LAZARUS, N. R. *see* DAVIS, B. 373–379
LEAVER, C. J. & HARMEY, M. A. Isolation and characterization of mitochondrial ribosomes from higher plants 37P–38P
LEFEVRE, P. A. *see* DANIEL, J. W. 961–967
LEGGE, A. M. *see* PEARSON, C. K. 16P–17P
LENTON, J. R. *see* GOAD, L. J. 219–222
LERNMARK, Å. *see* BLOOM, G. D. 241–254
LEROY, P. *see* FEVERY, J. 619–633, 635–644
LETTERS, R. *see* CAWLEY, T. N. 711–720
LEVINE, D., KAPLAN, M. J. & GREENAWAY, P. J. The purification and characterization of wheat-germ agglutinin 847–856
LEWIS, D. *see* HAWKES, S. E. 27P
LIGUORI, A. *see* AURICCHIO, F. 1131–1138
LINDER, M. C., MOOR, J. R., SCOTT, L. E. & MUNRO, H. N. Prenatal and postnatal changes in the content and species of ferritin in rat liver 455–462
LOCHS, H. *see* HÖRTNAGL, H. 187–195
LOCKE, E., BUTTERY, P. J. & BOORMAN, K. N. Urate synthesis in the perfused chicken liver 20P
LOCKWOOD, E. A. *see* HAUSER, C. A. 21P–22P
LOENING, U. E. Ribosomal ribonucleic acid in evolution 35P
LOTLIKAR, P. D. & WASSERMAN, M. B. Effects of safrole and isosafrole pretreatment on *N*- and ring-hydroxylation of 2-acetamidofluorene by the rat and hamster 937–943
LOW, R. A. L. *see* MOORE, M. R. 43P
LOWRY, P. J. *see* BENNETT, H. P. J. 695–701; BULLOCK, G. R. 23P–24P

MACFARLANE, N. & AINSWORTH, S. A kinetic study of baker's-yeast pyruvate kinase activated by fructose 1,6-diphosphate 1035–1047
MACGILLIVRAY, A. J., RICKWOOD, D. & PAUL, J. The heterogeneity of chromatin non-histone proteins 50P
MACGILLIVRAY, A. J. *see also* RICKWOOD, D. 50P–51P
MACKIE, C. *see* SCHULSTER, D. 8P–9P
MADEN, B. E. H., SALIM, M., WILLIAMSON, R. & SHEPHERD, J. Chemical studies on ribosomal ribonucleic acid and ribosome formation in HeLa cells 30P
MALATHI, K. *see* MUTHUKRISHNAN, S. 31–37
MANN, T. *see* BROOKS, D. E. 1023–1034
MARCHBANKS, R. M. & ISRAËL, M. The heterogeneity of bound acetylcholine and synaptic vesicles 1049–1061
MARGOLIASH, E. *see* BITAR, K. G. 561–569
MARSHALL, V. M., BATES, J. & KEIR, H. M. Nuclear deoxyribonucleic acid polymerases from Landschütz ascites-tumour cells 26P
MARTIN, B. R., DENTON, R. M., PASK, H. T. & RANDLE, P. J. Mechanisms regulating adipose-tissue pyruvate dehydrogenase 763–773
MARTINI, O. H. W. *see* GOULD, H. J. 31P–32P
MATHER, I. H. & KNIGHT, M. A heat-stable nicotinamide–adenine dinucleotide glycohydrolase from *Pseudomonas putida* KB1. Partial purification and some properties of the enzyme and an inhibitory protein 141–152
MATHIAS, A. P. *see* AUSTOKER, J. 1139–1155
MCCARTHY, J. L. *see* SIMPSON, E. R. 10P–11P
MCCOMBS, P. J. A. & RALPH, R. K. Protein, nucleic acid and starch metabolism in the duckweed, *Spirodela oligorrhiza*, treated with cytokinins 403–417
MCDONAGH, A. F. & ASSISI, F. The ready isomerization of bilirubin IX-α in aqueous solution 797–800
MCFARLANE, E. S. Bases methylated *in vitro* by cell-free extracts of adenovirus-18-induced tumours 513–517
MCMARTIN, C. *see* BENNETT, H. P. J. 695–701; BULLOCK, G. R. 23P–24P
MCNAMARA, P. D. & SEGAL, S. Transport and metabolism of galactose in rat kidney cortex 1109–1118
MELLOR, D. J. *see* SLATER, J. S. 12P
MELVIN, W. T. & THOMSON, R. Y. Ornithine decarboxylase activity during kidney growth 48P
MESTER, L. *see* MICHAL, F. 977–978
MICHAL, F., BORN, G. V. R., MESTER, L. & SZABADOS, L. Effect of 5-hydroxytryptamine on the potassium ion exchange of human platelets enriched in sialic acid 977–978
MIDGLEY, J. E. M. The formation of MS nucleotides in *Escherichia coli* inhibited by trimethoprim 39P
MILLBURN, P. *see* HIROM, P. C. 1071–1077
MILLER, A. L., HAWKINS, R. A., HARRIS, R. L. & VEECH, R. L. The effects of acute and chronic morphine treatment and of morphine withdrawal on rat brain *in vivo* 463–469
MILLWARD, D. J. & GARLICK, P. J. The pattern of protein turnover in the whole animal and the effect of dietary variation 2P–3P
MILLWARD, D. J. *see also* GARLICK, P. J. 1P–2P
MILMAN, H. A. *see* COONEY, D. A. 953–960
MITCHELL, A. I. *see* FRASER, L. 49P–50P
MOLLICA, L. *see* AURICCHIO, F. 1131–1138
MONTAGUE, W. & HOWELL, S. L. The mode of action of adenosine 3′:5′-cyclic monophosphate in mammalian islets of Langerhans. Preparation and properties of islet-cell protein phosphokinase 551–560
MONTAGUE, W. *see also* SAMS, D. J. 945–952
MOOR, J. R. *see* LINDER, M. C. 455–462
MOORE, A. L. & WILSON, S. B. Inhibition of electron transport in isolated turnip (*Brassica napus*) mitochondria by inhibitors of protein synthesis 18P
MOORE, M. R. Lead, ethanol and δ-aminolaevulinate dehydratase 43P–44P

MOORE, M. R., THOMPSON, G. G., LOW, R. A. L. & CUMMING, R. L. C. The perinatal development of haem biosynthesis in rats, guinea pigs and humans 43P
MORIN, F., TAY, S. & SIMPKINS, H. A comparative study of the molecular structures of the plasma membranes and the smooth and the rough endoplasmic-reticulum membranes from rat liver 781–788
MUIR, H. *see* HARDINGHAM, T. E. 101–112
MUNRO, H. N. *see* LINDER, M. C. 455–462
MUNSCHE, D. *see* SZALAY, A. 135–140
MURPHY, G. M., JANSEN, F. H. & BILLING, B. H. Unsaturated monohydroxy bile acids in cholestatic liver disease 491–494
MURRAY, A. W., FROSCIO, M. & KEMP, B. E. Histone phosphatase and cyclic nucleotide-stimulated protein kinase from human lymphocytes 995–1002
MUTHUKRISHNAN, S., MALATHI, K. & PADMANABAN, G. δ-Aminolaevulinate dehydratase, the regulatory enzyme of the haem-biosynthetic pathway in *Neurospora crassa* 31–37

NAYLOR, A. *see* PEARSON, C. H. 44P–45P
NELSON, D. H. *see* JOHNSON, L. R. 9P–10P
NEUBERGER, A. Obituary notice. Sir Charles Harington. (1897–1972) 801–804
NEUBERGER, A. & RATCLIFFE, W. A. The acid and enzymic hydrolysis of *O*-acetylated sialic acid residues from rabbit Tamm–Horsfall glycoprotein 683–693
NOLAN, C. *see* BITAR, K. G. 561–569
NORMAN, M. R. & GAMULIN, S. The distinction between various functional states of hepatic ribosomes, and different distributions of ribosomes between these states in fed and starved mice 38P

O'CARRA, P. *see* KILLILEA, S. D. 1179–1182
O'CONNOR, P. J., CAPPS, M. J., CRAIG, A. W., LAWLEY, P. D. & SHAH, S. A. Differences in the patterns of methylation in rat liver ribosomal ribonucleic acid after reaction *in vivo* with methyl methanesulphonate and *NN*-dimethylnitrosamine 519–528
O'DONNELL, J. M. & ELLORY, J. C. Cation-dependence of phosphatase activity in bull spermatozoa 45P–46P
OFFORD, R. E. The possible use of cyanogen bromide fragments in the semisynthesis of proteins and polypeptides 499–501
OFFORD, R. E. *see also* DE LA MARE, S. 321–331
OLIVER, D., SOMMER, K. R., PANYIM, S., SPIKER, S. & CHALKLEY, R. A modified procedure for fractionating histones 349–353
ONG, B. L. & JACKSON, J. F. Aspartate transcarbamoylase from *Phaseolus aureus*. Partial purification and properties 571–581
ONG, B. L. & JACKSON, J. F. Pyrimidine nucleotide biosynthesis in *Phaseolus aureus*. Enzymic aspects of the control of carbamoyl phosphate synthesis and utilization 583–593
ORD, M. G. & STOCKEN, L. A. Uptake of amino acids and nucleic acid precursors by regenerating rat liver 175–181
OSBORN, J. M. *see* PEARSON, C. H. 44P–45P
ØSTERUD, B. *see* FLENGSRUD, R. 83–89
OTTAWAY, J. H. The concentration of asparagine in the tissues of rats treated with growth hormone 503–505
OWEN, J. S. *see* HARVEY, M. S. 17P
OWEN, P. & FREER, J. H. Isolation and properties of mesosomal membrane fractions from *Micrococcus lysodeikticus* 907–917

PADMANABAN, G. *see* MUTHUKRISHNAN, S. 31–39; RAJAMANICKAM, C. 381–387
PANYIM, S. *see* OLIVER, D. 349–353
PARTHIER, B. *see* SZALAY, A. 135–140
PASK, H. T. *see* MARTIN, B. R. 763–773
PAUL, J. *see* MACGILLIVRAY, A. J. 50P; RICKWOOD, D. 50P–51P
PEARSON, C. H., HAPPEY, F., NAYLOR, A., OSBORN, J. M. & TURNER, R. L. Lysosomal enzymes and degradation of the proteoglycans of the human intervertebral disc 44P–45P
PEARSON, C. K. & LEGGE, A. M. Uptake of vitamin E by rat small-intestinal slices 16P–17P
PEGG, A. E. Specificity of transfer ribonucleic acid methylases from normal mouse colon and 1,2-dimethylhydrazine-induced colon tumours 40P
PERRY, R. P. Regulation of ribosome synthesis 35P–36P
PESTELL, T. C. *see* GAINEY, P. A. 821–830
PETERS, J. *see* BULLOCK, G. R. 23P–24P
PHELPS, C. F., ANTONINI, E., BRUNORI, M. & KELLETT, G. The kinetics of binding of oxygen and carbon monoxide to *Gastrophilus* haemoglobin 891–896
PHELPS, C. F. *see also* GAINEY, P. A. 821–830
PHILIPSON, B. *see* FÜRST, P. 12P
PHILLIPS, D. R. *see* GALLIARD, T. 743–753
PIERREPOINT, C. G. *see* DAVIES, P. 1167–1169
PLAUT, B. & KNOWLES, J. R. pH-dependence of the triose phosphate isomerase reaction 311–320
PREMPEH, A. B. A., PRINCE, A. K. & HIDE, E. G. J. The reaction of acetyl-coenzyme A with choline acetyltransferase 991–994
PRICE, R. G., TAYLOR, D. G. & ROBINSON, D. The characterization of rat kidney plasma membranes prepared by zonal centrifugation 919–928
PRIDDLE, J. D. *see* DE LA MARE, S. 321–331
PRINCE, A. K. *see* PREMPEH, A. B. A. 991–994
PRYDZ, H. *see* FLENGSRUD, R. 83–89
PUTMAN, S. J., COULSON, A. F. W., FARLEY, I. R. T., RIDDLESTON, B. & KNOWLES, J. R. Specificity and kinetics of triose phosphate isomerase from chicken muscle 301–310

RAHIMTULA, A. D. *see* AKHTAR, M. 225–229
RAJAMANICKAM, C., AMRUTAVALLI, J., RAO, M. R. S. & PADMANABAN, G. Effect of hexachlorobenzene on haem synthesis 381–387
RALPH, R. K. *see* MCCOMBS, P. J. A. 403–417
RAND, A. G., JR. *see* ASATO, N. 841–846
RANDLE, P. J. *see* MARTIN, B. R. 763–773
RAO, K. K., EVANS, M. C. W., CAMMACK, R., HALL, D. O., THOMPSON, C. L., JACKSON, P. J. & JOHNSON, C. E. Mössbauer effect in rubredoxin. Determination of the hyperfine field of the iron in a simple iron–sulphur protein 1063–1070
RAO, K. K., SMITH, R. V., CAMMACK, R., EVANS, M. C. W., HALL, D. O. & JOHNSON, C. E. Spectroscopic characterization of ferredoxin from the blue-green alga *Microcystis flos-aquae* 1159–1162
RAO, M. R. S. *see* RAJAMANICKAM, C. 381–387
RATCLIFFE, W. A. *see* NEUBERGER, A. 683–693

RENWICK, A. G. & WILLIAMS, R. T. The fate of cyclamate in man and other species 869–879
RENWICK, A. G. & WILLIAMS, R. T. The metabolites of cyclohexylamine in man and certain animals 857–867
RENWICK, A. G. *see also* DRASAR, B. S. 881–890
RICHARDSON, M. C. *see* SCHULSTER, D. 8P–9P
RICHES, P. *see* RICKWOOD, D. 50P–51P
RICKWOOD, D., THRELFALL, G., MACGILLIVRAY, A. J., PAUL, J. & RICHES, P. Studies on the phosphorylation of chromatin non-histone proteins and their effect on deoxyribonucleic acid transcription 50P–51P
RICKWOOD, D. *see also* MACGILLIVRAY, A. J. 50P
RIDDLESTON, B. *see* PUTMAN, S. J. 301–310
ROBERTS, F. M. *see* ASHWORTH, T. S. 897–905
ROBINSON, D. *see* PRICE, R. G. 919–928
RODNIGHT, R. *see* WELLER, M. 113–121
ROGNES, A. *see* ABRAHAM, K. A. 291–299
ROLLESTON, F. S. The binding of ribosomal subunits to endoplasmic-reticulum membranes 721–731
ROLTON, H. A., BATES, J. & KEIR, H. M. Some physical and kinetic properties of deoxycytidylate deaminase from normal and virus-infected mammalian cells 14P–15P
ROOBOL, A. & ALLEYNE, G. A. O. A study of stabilization of gluconeogenic activity in rat liver slices by calcium and manganese ions 231–239
ROSE, G. *see* BAR-TANA, J. 1101–1107
ROZIJN, T. H. Ribosome formation in yeast 33P–35P
RUTHERFORD, P. P. & DEACON, A. C. The mode of action of dandelion root β-fructofuranosidases on inulin 511–512
RYMAN, B. E. *see* GREGORIADIS, G. 123–133

SAAT, Y. A., GOWER, D. B., HARRISON, F. A. & HEAP, R. B. Studies on the biosynthesis *in vivo* and excretion of 16-unsaturated C_{19} steroids in the boar 657–663
SALIM, M. *see* MADEN, B. E. H. 30P
SAMS, D. J. & MONTAGUE, W. The role of adenosine 3′:5′-cyclic monophosphate in the regulation of insulin release. Properties of islet-cell adenosine 3′:5′-cyclic monophosphate phosphodiesterase 945–952
SASAKI, T., TADOKORO, K. & SUZUKI, S. The distribution of glucose phosphate isomerase isoenzymes in sweet potato and its tissue culture 789–791
SATCHELL, D. P. N. *see* KYRTOPOULOS, S. A. 1163–1166
SAUNDERS, S. J. *see* KELMAN, L. 805–809
SCHÖNHERR, O. TH. & KEIR, H. M. The activity of deoxyribonucleic acid polymerase in some species of algae 285–290
SCHULSTER, D., RICHARDSON, M. C. & MACKIE, C. The mode of adrenocorticotrophin action in stimulating steroidogenesis: the obligatory role of adenosine 3′:5′-cyclic monophosphate and the involvement of rapidly-turning-over protein 8P–9P
SCOTT, G. H. *see* HARVEY, M. S. 17P
SCOTT, L. E. *see* LINDER, M. C. 455–462
SEAKINS, A. & WATERLOW, J. C. Effect of a low-protein diet on the incorporation of amino acids into rat serum lipoproteins 793–795
SEGAL, S. *see* MCNAMARA, P. D. 1109–1118
SEHLIN, J. *see* BLOOM, G. D. 241–254
SENDER, P. M. *see* CHAIN, E. B. 13P, 13P–14P
SETKOWSKY, C. A. *see* HOLMSEN, H. 67–82
SHAH, S. A. *see* O'CONNOR, P. J. 519–528
SHAPIRO, B. *see* BAR-TANA, J. 1101–1107
SHAW, N., SMITH, P. F. & VERHEIJ, H. M. The structure of a glycerylphosphoryldiglucosyl diglyceride from the lipids of *Acholeplasma laidlawii* strain B 167–173
SHENKIN, A. & BURDON, R. H. Homopolymer sequences in mammalian deoxyribonucleic acid 51P
SHEPHERD, J. *see* MADEN, B. E. H. 30P
SHERRATT, H. S. A. *see* HOLLAND, P. C. 39–54
SHIH, D. S. *see* HALL, T. C. 969–976
SIMPKINS, H. *see* MORIN, F. 781–788
SIMPSON, E. R., TRZECIAK, W. H., MCCARTHY, J. L., JEFCOATE, C. R. & BOYD, G. S. Factors affecting cholesterol esterase and cholesterol side-chain-cleavage activities in rat adrenal 10P–11P
SIMS, P. *see* GROVER, P. L. 41P; KEYSELL, G. R. 41P–42P
SLATER, J. S. & MELLOR, D. J. Effect of plane of nutrition on maternal and foetal plasma amino acid concentrations in the sheep 12P
SMITH, M. W. *see* HEBB, C. 1013–1021
SMITH, P. F. *see* SHAW, N. 167–173
SMITH, R. J. The effects of trimethoprim on ribonucleic acid synthesis in *Escherichia coli* 38P–39P
SMITH, R. L. *see* HIROM, P. C. 1071–1077
SMITH, R. V. *see* RAO, K. K. 1159–1162
SMUCKLER, E. A. & HADJIOLOV, A. A. Inhibition of hepatic deoxyribonucleic acid-dependent ribonucleic acid polymerases by the exotoxin of *Bacillus thuringiensis* in comparison with the effects of α-amanitin and cordycepin 153–166
SOMMER, K. R. *see* OLIVER, D. 349–353
SPENCER, T. & BYGRAVE, F. L. Modification by calcium ions of adenine nucleotide translocation in rat liver mitochondria 355–365
SPIKER, S. *see* OLIVER, D. 349–353
STEPHENS, T. C. *see* HEBB, C. 1013–1021
STOCKEN, L. A. *see* ORD, M. G. 175–181
STRONG, C. R. *see* FORSYTH, I. A. 929–935
SUZUKI, S. *see* SASAKI, T. 789–791
SZABADOS, L. *see* MICHAL, F. 977–978
SZALAY, A., MUNSCHE, D., WOLLGIEHN, R. & PARTHIER, B. Ribosomal ribonucleic acid and ribosomal precursor ribonucleic acid in *Anacystis nidulans* 135–140

TADOKORO, K. *see* SASAKI, T. 789–791
TÄLJEDAL, I.-B. *see* BLOOM, G. D. 241–254
TANNER, M. J. A. & BOXER, D. H. Separation and some properties of the major proteins of the human erythrocyte membrane 333–347
TATTERSALL, M. H. N., FURNESS, M. E., JACKSON, S. & HARRAP, K. R. Changes in the pyrimidine deoxynucleoside triphosphate pools of L5178Y cells after their exposure to methotrexate and 5-fluorouracil 48P–49P
TAY, S. *see* MORIN, F. 781–788
TAYLOR, C. B. *see* GUNN, J. M. 20P–21P
TAYLOR, D. G. *see* PRICE, R. G. 919–928
TAYLOR, E. A. *see* HEMS, D. A. 529–538
TERBLANCHE, J. *see* KELMAN, L. 805–809
THOMAS, P. *see* TUDBALL, N. 419–425
THOMPSON, C. L. *see* RAO, K. K. 1063–1070
THOMPSON, G. G. *see* MOORE, M. R. 43P
THOMPSON, S. J. *see* CHESHIRE, M. V. 19P
THOMSON, R. Y. *see* MELVIN, W. T. 48P

THRELFALL, G. *see* RICKWOOD, D. 50P–51P
TIBBS, J. Enzymically catalysed binding of amino acids to the protein cyst coat of the ciliate *Colpoda steinii* 25P
TOMASZEWSKI, M. & BUCHOWICZ, J. Alcoholysis of the endogenous phosphate esters in rats treated with large doses of ethanol 183–186
TRAYHURN, P. & VAN HEYNINGEN, R. The role of respiration in the energy metabolism of the bovine lens 507–509
TRUDGILL, P. W. *see* GRIFFIN, M. 595–603
TRZECIAK, W. H. *see* SIMPSON, E. R. 10P–11P
TUBBS, P. K. *see* CHASE, J. F. A. 55–65
TUDBALL, N., BAILEY-WOOD, R. & THOMAS, P. The role of histidine residues in glutamate dehydrogenase 419–425
TURNER, R. L. *see* PEARSON, C. H. 44P–45P

UDEM, S. A. *see* WARNER, J. R. 29P–30P

VAN DE VIJVER, M. *see* FEVERY, J. 635–644; HEIRWEGH, K. P. M. 605–618
VAN HEYNINGEN, R. *see* TRAYHURN, P. 507–509
VAN ROSSUM, G. D. V. The relation of sodium and potassium ion transport to the respiration and adenine nucleotide content of liver slices treated with inhibitors of respiration 427–438
VEECH, R. L. *see* MILLER, A. L. 463–469
VERHEIJ, H. M. *see* SHAW, N. 167–173
VILLEMEZ, C. L. *see* HELLER, J. S. 645–655
VINOGRADOV, S. N. *see* BITAR, K. G. 561–569

WADE, R. *see* BRUNDISH, D. E. 23P
WAHLE, K. W. J. & GARTON, G. A. Desaturation of stearate by sheep tissue microsomal preparations 15P–16P
WANNEMACHER, R. W., JR. Ribosomal ribonucleic acid synthesis and function as influenced by amino acid supply and stress 5P–6P
WARNER, J. R., KUMAR, A., UDEM, S. A. & WU, R. S. Ribosomal proteins and the assembly of ribosomes in eukaryotes 29P–30P
WASSERMAN, M. B. *see* LOTLIKAR, P. D. 937–943
WATERLOW, J. C. *see* SEAKINS, A. 793–795
WATSON, K. & GREEN, A. Mitochondrial ribosomes of the yeast *Saccharomyces cerevisiae:* electron microscopy 36P–37P
WATSON, K. *see also* GREEN, A. 36P
WEBB, J. R. & BAILEY, E. The effect on the activities of some hepatic enzymes of weaning rats on to a diet high in sucrose content 21P
WEBB, T. E. *see* CAVIA, E. 223–224
WEISS, L. J. *see* BITAR, K. G. 561–569
WELLER, M., RODNIGHT, R. & CARRERA, D. Determination of adenosine 3′:5′-cyclic monophosphate in cerebral tissues by saturation analysis. Assessment of a method using a binding protein from ox muscle 113–121
WHITE, I. H. & JEFFERY, J. Structure–activity relations for the nicotinamide–adenine dinucleotide-linked 20β-hydroxy steroid oxidoreductase activity of cortisone reductase with special reference to ring B 24P
WHITTON, P. D. *see* HEMS, D. A. 529–538
WICHT, W. *see* KELMAN, L. 805–809
WILLETTS, A. J. & CAIN, R. B. Microbial metabolism of alkylbenzene sulphonates. Bacterial metabolism of undecylbenzene-*p*-sulphonate and dodecylbenzene-*p*-sulphonate 389–402
WILLIAMS, R. T. *see* AU, W. Y. W. 1–10; CALDWELL, J. 11–22, 23–24, 25–29; DRASAR, B. S. 881–890; HIROM, P. C. 1071–1077; RENWICK, A. G. 857–867, 869–879
WILLIAMSON, D. H. *see* HAWKINS, R. A. 1171–1173
WILLIAMSON, F. B. Double-helical conformations of sulphated polysaccharides and their potential biological function 28P
WILLIAMSON, R. *see* MADEN, B. E. H. 30P
WILSON, M. A. & CASCARANO, J. Biochemical heterogeneity of rat liver mitochondria separated by rate zonal centrifugation 209–218
WILSON, S. B. *see* MOORE, A. L. 18P
WILTON, D. C. *see* AKHTAR, M. 225–229
WINKLER, H. *see* HÖRTNAGL, H. 187–195
WITTMANN, H. G. Structure and function of 70S ribosomal proteins 30P–31P
WOLLGIEHN, R. *see* SZALAY, A. 135–140
WONG, P. C. L. & HENDERSON, J. F. Purine ribonucleotide biosynthesis, interconversion and catabolism in mouse brain *in vitro* 1085–1094
WONG, S. M. E. *see* BANERJEE, S. P. 775–779
WOOD, G. C. *see* GRAHAM, A. B. 22P
WOODCOCK, B. G. *see* GRAHAM, A. B. 22P
WU, R. S. *see* WARNER, J. R. 29P–30P

YOUNG, S. N. & CURZON, G. A method for obtaining linear reciprocal plots with caeruloplasmin and its application in a study of the kinetic parameters of caeruloplasmin substrates 273–283
YUDKIN, J. *see* BRUCKDORFER, K. R. 439–446

ZAPPIA, V., CARTENÌ-FARINA, M. & DELLA PIETRA, G. *S*-Adenosylmethionine decarboxylase from human prostate. Activation by putrescine 703–709

Index of Subjects

Note. Pages in *Proceedings of the Biochemical Society* are distinguished by P.

2-Acetamidofluorene, effects of safrole and isosafrole on *N*- and ring-hydroxylation of, by the rat and hamster (Lotlikar, P. D. & Wasserman, M. B.) 937–943

Acetol phosphate, *see* Monohydroxyacetone phosphate

O-Acetylated sialic acid residues, acid and enzymic hydrolysis of, of rabbit Tamm–Horsfall glycoprotein (Neuberger, A. & Ratcliffe, W. A.) 683–693

Acetylcholine, bound, heterogeneity of, in synaptic vesicles from the electric organ of *Torpedo marmorata* (Marchbanks, R. M. & Israël, M.) 1049–1061

Acetylcholine, effect of environmental temperature on the biosynthesis of, catalysed by choline acetyltransferase from goldfish brain (Hebb, C., Stephens, T. C. & Smith, M. W.) 1013–1021

Acetyl-coenzyme A, reaction of, with choline acetyltransferase from squid cerebral ganglion and from rat brain (Prempeh, A. B. A., Prince, A. K. & Hide, E. G. J.) 991–994

N-Acetylglucosamine, binding of, to wheat-germ agglutinin (LeVine, D., Kaplan, M. J. & Greenaway, P. J.) 847–856

N-Acetylneuraminate, effect of 5-hydroxytryptamine on potassium ion exchange by human platelets enriched in (Michal, F., Born, G. V. R., Mester, L. & Szabados, L.) 977–978

Acholeplasma laidlawii B, structure of a glyceryl phosphoryldiglucosyl diglyceride from the lipids of (Shaw, N., Smith, P. F. & Verheij, H. M.) 167–173

Acid hydrolases, *see* Hydrolases, acid

Acid phosphatase, *see* Phosphatase, acid

Acyl-coenzyme A synthetase, microsomal, liver, rat, partial and exchange reactions of (Bar-Tana, J., Rose, G. & Shapiro, B.) 1101–1107

Adenine, incorporation of, into purine ribonucleotides by mouse brain preparations *in vitro* (Wong, P. C. L. & Henderson, J. F.) 1085–1094

Adenine nucleotides, behaviour of, during the release reaction of human platelets induced by adenosine diphosphate and by adrenaline (Holmsen, H., Day, H. J. & Setkowsky, C. A.) 67–82

Adenine nucleotides, modification by calcium ions of the translocation of, in rat liver mitochondria (Spencer, T. & Bygrave, F. L.) 355–365

Adenine nucleotides, relationship of the transport of sodium and potassium ions to the respiration and content of, of rat liver slices treated with inhibitors of respiration (van Rossum, G. D. V.) 427–438

Adenine re idues, differences in the patterns of methylation of, and other base residues of rat liver ribosomal ribonucleic acid after reaction *in vivo* with methyl methanesulphonate and *NN*-dimethylnitrosamine (O'Connor, P. J., Capps, M. J., Craig, A. W., Lawley, P. D. & Shah, S. A.) 519–528

Adenine residues, methylation *in vitro* of, of transfer ribonucleic acid by cell-free extracts of adenovirus-18-induced hamster tumours (McFarlane, E. S.) 513–517

Adenine ribonucleotides, biosynthesis and metabolism of, in mouse brain preparations *in vitro* (Wong, P. C. L. & Henderson, J. F.) 1085–1094

Adenosine 3′:5′-cyclic monophosphate, assessment of a method for the determination of, in cerebral-cortex preparations by saturation analysis with a binding protein from ox skeletal muscle (Weller, M., Rodnight, R. & Carrera, D.) 113–121

Adenosine 3′:5′-cyclic monophosphate, binding of, by adenosine 3′:5′-cyclic monophosphate-dependent protein phosphokinase from mammalian pancreas islets of Langerhans (Montague, W. & Howell, S. L.) 551–560

Adenosine 3′:5′-cyclic monophosphate phosphodiesterase, properties of, from guinea-pig pancreas islets of Langerhans (Sams, D. J. & Montague, W.) 945–952

Adenosine 3′:5′-cyclic monophosphate, stimulation by, of the activity of protein kinase from human lymphocytes (Murray, A. W., Froscio, M. & Kemp, B. E.) 995–1002

Adenosine diphosphate, behaviour of adenine nucleotides during the release reaction of human platelets induced by (Holmsen, H., Day, H. J. & Setkowsky, C. A.) 67–82

Adenosine diphosphate–adenosine triphosphate exchange reaction, potassium ion-stimulated and sodium ion-dependent, activity of, in a guinea-pig kidney microsomal fraction (Banerjee, S. P. & Wong, S. M. E.) 775–779

Adenosine, incorporation of, into purine ribonucleotides by mouse brain preparations *in vitro* (Wong, P. C. L. & Henderson, J. F.) 1085–1094

Adenosine monophosphate, specific elution of baker's-yeast isocitrate dehydrogenase from carboxymethylcellulose by dilute solutions of (Illingworth, J. A.) 1119–1124

Adenosine triphosphate, effect of anoxia on the concentration of, in ox lens (Trayhurn, P. & van Heyningen, R.) 507–509

Adenosine triphosphate, effect of, on the activity of pyruvate dehydrogenase in rat epididymal adipose tissue (Martin, B. R., Denton, R. M., Pask, H. T. & Randle, P. J.) 763–773

Adenosine triphosphate, light-dependent biosynthesis of inorganic pyrophosphate and, by *Rhodospirillum rubrum* chromatophores (Guillory, R. J. & Fisher, R. R.) 471–481

Adenosine triphosphate–adenosine diphosphate exchange reaction, potassium ion-stimulated and sodium ion-dependent, activity of, in a guinea-pig kidney microsomal fraction (Banerjee, S. P. & Wong, S. M. E.) 775–779

S-Adenosylmethionine decarboxylase, activation by putrescine of the activity of, from human prostate gland (Zappia, V., Carteni-Farina, M. & Della Pietra, G.) 703–709

Adenovirus 18, identification of the base residues of transfer ribonucleic acid methylated *in vitro* by cell-free extracts of hamster tumours induced by (McFarlane, E. S.) 513–517

Adenylate cyclase, effect of prolactin on the activity of, in rat prostate-gland homogenates (Golder, M. P., Boyns, A. R., Harper, M. E. & Griffiths, K.) 25P

Adenylate cyclase, effects of glucose and hormones on the activity of, from mouse pancreas islets of Langerhans (Davis, B. & Lazarus, N. R.) 373–379

Adipocytes, epididymal, rat, mechanisms regulating the activity of pyruvate dehydrogenase in isolated mitochondria from (Martin, B. R., Denton, R. M., Pask, H. T. & Randle, P. J.) 763–773
Adipose tissue, brown, effects of glucose, non-esterified fatty acids and lipid depletion on metabolism *in vitro* in, from newborn rabbits (Knight, B. L.) 1175–1177
Adipose tissue, epididymal, clearing-factor lipase activities in heart muscle and, of obese–hyperglycaemic mice (Enser, M.) 447–453
Adipose tissue, epididymal, fatty acid synthetase activities in the liver and, of rats fed with various carbohydrates (Bruckdorfer, K. R., Khan, I. H. & Yudkin, J.) 439–446
Adipose tissue, epididymal, rat, mechanisms regulating the activity of pyruvate dehydrogenase in (Martin, B. R., Denton, R. M., Pask, H. T. & Randle, P. J.) 763–773
Adrenal-gland medulla, ox, identification of dopamine β-hydroxylase as a major constituent of the membrane proteins of chromaffin granules from (Hörtnagl, H., Winkler, H. & Lochs, H.) 187–195
Adrenaline, behaviour of adenine nucleotides during the release reaction of human platelets induced by (Holmsen, H., Day, H. J. & Setkowsky, C. A.) 67–82
Adrenocorticotrophin, action of (Colloquium) 7P–11P
Adrenocorticotrophin, effect of, *in vivo* on pregnenolone biosynthesis by adrenal-gland mitochondria (Johnson, L. R. & Nelson, D. H.) 9P–10P
Adrenocorticotrophin, fate of, in suspensions of isolated rat adrenal-gland cells and the separation of an enriched adrenocorticotrophin-sensitive steroidogenic cell fraction (Bullock, G. R., Gillam, E. A., Lowry, P. J., McMartin, C. & Peters, J.) 23P–24P
Adrenocorticotrophin, obligatory role of adenosine 3′:5′-cyclic monophosphate and the involvement of rapidly-turning-over protein in the mode of action of, in stimulating steroidogenesis (Schulster, D., Richardson, M. C. & Mackie, C.) 8P–9P
Adrenocorticotrophin receptors, location of, in the adrenal-gland cortex (Golder, M. P. & Boyns, A. R.) 7P–8P
β-Adrenocorticotrophin-(1–24)-tetracosapeptide, synthesis of, of high specific radioactivity (Brundish, D. E. & Wade, R.) 23P
Agglutinin, purification and characterization of, from wheat germ (LeVine, D., Kaplan, M. J. & Greenaway, P. J.) 847–856
Albumin, serum, effects of amino acids on the biosynthesis of, by the isolated perfused rat liver (Kelman, L., Saunders, S. J., Wicht, S., Frith, L., Corrigall, A., Kirsch, R. E. & Terblanche, J.) 805–809
Albumin, serum, ox, anomalous behaviour of, on electrophoresis in non-denaturing polyacrylamide gel (Barton, R. J.) 983–985
Alkaline phosphatase, *see* Phosphatase, alkaline
Alkylbenzene-*p*-sulphonates, metabolism of, by *Bacillus* sp. (Willetts, A. J. & Cain, R. B.) 389–402
α-Amanitin, inhibition of the deoxyribonucleic acid-dependent ribonucleic acid polymerases of mouse liver *in vivo* by the exotoxin of *Bacillus thuringiensis* in comparison with the effects of cordycepin and (Smuckler, E. A. & Hadjiolov, A. A.) 153–166
Amino acid analysis, complete, of peptides and proteins after hydrolysis by a mixture of Sepharose-bound peptidases (Bennett, H. P. J., Elliott, D. F., Evans, B. E., Lowry, P. J. & McMartin, C.) 695–701
Amino acid sequence of cytochrome *c* from the rust fungus *Ustilago sphaerogena* (Bitar, K. G., Vinogradov, S. N., Nolan, C., Weiss, L. J. & Margoliash, E.) 561–569
Amino acids, effect of a low-protein diet on the incorporation of, into serum lipoproteins in the rat (Seakins, A. & Waterlow, J. C.) 793–795
Amino acids, effects of, on the biosynthesis of serum albumin by the isolated perfused rat liver (Kelman, L., Saunders, S. J., Wicht, S., Frith, L., Corrigall, A., Kirsch, R. E. & Terblanche, J.) 805–809
Amino acids, electrogenic sodium pump as a possible factor leading to the concentration of, by mouse ascites-tumour cells with reversed sodium ion concentration gradients (Gibb, L. E. & Eddy, A. A.) 979–981
Amino acids, influence of the supply of, on polynucleotide and protein metabolism (Colloquium) 1P–6P
Amino acids, ^{15}N-labelled, method for the analysis of, in the effluent from preparative amino acid-analysis columns (Hawkes, S. E., Buttery, P. J. & Lewis, D.) 27P
Amino acids, plasma, effect of plane of nutrition on maternal and foetal concentrations of, in the sheep (Slater, J. S. & Mellor, D. J.) 12P
Amino acids, uptake of nucleic acid precursors and, by regenerating rat liver (Ord, M. G. & Stocken, L. A.) 175–181
p-Amino compounds, application of a method for obtaining linear Michaelis–Menten plots with caeruloplasmin in a study of the kinetic parameters for, and other caeruloplasmin substrates (Young, S. N. & Curzon, G.) 273–283
Aminoacyl-transfer-ribonucleic acid synthetases, activities of, in myocardial tissue (Gibson, K. & Harris, P.) 14P
Aminoacyl-transfer-ribonucleic acid synthetases, seed, bean, binding of tyrosine to brome-mosaic-virus ribonucleic acid in the presence of preparations of (Hall, T. C., Shih, D. S. & Kaesberg, P.) 969–976
Aminocyclohexanols, identification of, as metabolites of cyclohexylamine in the rat, rabbit and guinea pig (Renwick, A. G. & Williams, R. T.) 857–867
5-Aminolaevulinate dehydratase, effects of lead and ethanol on the activity of, in rat liver (Moore, M. R.) 43P–44P
5-Aminolaevulinate dehydratase, regulatory function of, in the haem-biosynthetic pathway in *Neurospora crassa* (Muthukrishnan, S., Malathi, K. & Padmanaban, G.) 31–37
5-Aminolaevulinate, exogenous, effects of, on the concentrations of haem and cytochromes in rat liver (Druyan, R. & Kelly, A.) 1095–1099
5-Aminolaevulinate synthetase, effect of the administration of hexachlorobenzene on the activity of, in rat liver (Rajamanickam, C., Amrutavalli, J., Rao, M. R. S. & Padmanaban, G.) 381–387
2-Amino-1-phenyl[^{14}C]propane ([^{14}C]amphetamine), biliary excretion of metabolites of, in the rat (Caldwell, J., Dring, L. G. & Williams, R. T.) 25–29
2-Amino-1-phenyl[^{14}C]propane ([^{14}C]amphetamine), formation of norephedrines as metabolites of, in man (Caldwell, J., Dring, L. G. & Williams, R. T.) 23–24

[^{14}C]Amphetamine, biliary excretion of metabolites of, in the rat (Caldwell, J., Dring, L. G. & Williams, R. T.) 25–29

[^{14}C]Amphetamine, formation of norephedrines as metabolites of, in man (Caldwell, J., Dring, L. G. & Williams, R. T.) 23–24

α-Amylase, extracellular, reappraisal of the nature of the immediate precursor of, secreted by *Bacillus amyloquefaciens* (Grant, M. A. & Coleman, G.) 483–490

Anabaena variabilis, activity of deoxyribonucleic acid polymerase in (Schönherr, O. Th. & Keir, H. M.) 285–290

Anacystis nidulans, activity of deoxyribonucleic acid polymerase in (Schönherr, O. Th. & Keir, H. M.) 285–290

Anacystis nidulans, properties of ribosomal ribonucleic acids and ribosomal precursor ribonucleic acids in (Szalay, A., Munsche, D., Wollgiehn, R. & Parthier, B.) 135–140

5α-Androst-16-en-3α-ol, ^{3}H-labelled, biosynthesis of, from [7α-^{3}H]pregnenolone by boar testis *in vivo* (Saat, Y. A., Gower, D. B., Harrison, F. A. & Heap, R. B.) 657–663

5α-Androst-16-en-3β-ol, ^{3}H-labelled, biosynthesis of, from [7α-^{3}H]pregnenolone by boar testis *in vivo* (Saat, Y. A., Gower, D. B., Harrison, F. A. & Heap, R. B.) 657–663

5α-Androst-16-en-3-one, ^{3}H-labelled, biosynthesis of, from [7α-^{3}H]pregnenolone by boar testis *in vivo* (Saat, Y. A., Gower, D. B., Harrison, F. A. & Heap, R. B.) 657–663

Anions, catalysis by diphenyleneiodonium of the exchange of, and hydroxyl ions across the inner membrane of rat liver mitochondria (Holland, P. C. & Sherratt, H. S. A.) 39–54

Anions, organic, species variations in the threshold molecular-weight factor for the biliary excretion of (Hirom, P. C., Millburn, P., Smith, R. L. & Williams, R. T.) 1071–1077

Anoxia, effect of, on the activities of lysosomal acid hydrolases in the brain of the five-day-old rat (Adlard, B. P. F. & De Souza, S. W.) 1079–1084

Anoxia, effect of, on the energy metabolism of ox lens (Trayhurn, P. & van Heyningen, R.) 507–509

Arabinose, configuration of, present in soil (Cheshire, M. V. & Thompson, S. J.) 19P

Arginine, enzymic aspects of the control of the biosynthesis of carbamoyl phosphate and its utilization in the pathways for the biosynthesis of pyrimidine nucleotides and of, in mung-bean seedlings (Ong, B. L. & Jackson, J. F.) 583–593

Arion ater, *see* Slug

Ascites-tumour cells, mouse, electrogenic sodium pump as a possible factor leading to the concentration of amino acids by, with reversed sodium ion concentration gradients (Gibb, L. E. & Eddy, A. A.) 979–981

Ascorbate, method for obtaining linear Michaelis–Menten plots with caeruloplasmin in the presence of, and its application in a study of the kinetic parameters for caeruloplasmin substrates (Young, S. N. & Curzon, G.) 273–283

L-Asparaginase, use of, in a radiometric technique for the measurement of L-asparagine in picomole quantities in small samples of biological origin (Cooney, D. A. & Milman, H. A.) 953–960

Asparagine, concentrations of aspartate and, in the tissues of rats treated with growth hormone (Ottaway, J. H.) 503–505

L-Asparagine, radiometric technique for the measurement of, in picomole quantities in small samples of biological origin (Cooney, D. A. & Milman, H. A.) 953–960

Aspartate carbamoyltransferase, partial purification and properties of, from mung-bean seedlings (Ong, B. L. & Jackson, J. F.) 571–581

Aspartate, concentrations of asparagine and, in the tissues of rats treated with growth hormone (Ottaway, J. H.) 503–505

Asphyxia, effect of, on the activities of lysosomal acid hydrolases in the brain of the five-day-old rat (Adlard, B. P. F. & De Souza, S. W.) 1079–1084

Astrocytes, ribonucleic acid polymerase activities in nuclei from neurons, oligodendrocytes and, from rat brain (Austoker, J., Cox, D. & Mathias, A. P.) 1139–1155

Bacillus amyloliquefaciens, reappraisal of the nature of the immediate precursor of the extracellular α-amylase secreted by (Grant, M. A. & Coleman, G.) 483–490

Bacillus sp., metabolism of undecylbenzene-*p*-sulphonate and dodecylbenzene-*p*-sulphonate by (Willetts, A. J. & Cain, R. B.) 389–402

Bacillus thuringiensis, inhibition of the deoxyribonucleic acid-dependent ribonucleic acid polymerases of mouse liver *in vivo* by the exotoxin of, in comparison with the effects of α-amanitin and cordycepin (Smuckler, E. A. & Hadjiolov, A. A.) 153–166

Basement membrane, *see* Membrane, basement

Bean, mung (*Phaseolus aureus*), enzymic aspects of the control of the biosynthesis of carbamoyl phosphate and its utilization in the pathways for the biosynthesis of pyrimidine nucleotides and of arginine in seedlings of (Ong, B. L. & Jackson, J. F.) 583–593

Bean, mung (*Phaseolus aureus*), interaction of guanosine diphosphate glucosyltransferase and guanosine diphosphate mannosyltransferase activities in the biosynthesis of a glucomannan by a Triton X-100-solubilized enzyme preparation from seedlings of (Heller, J. S. & Villemez, C. L.) 645–655

Bean, mung (*Phaseolus aureus*), partial purification and properties of aspartate carbamoyltransferase from seedlings of (Ong, B. L. & Jackson, J. F.) 571–581

Benzene, formation of inorganic mercury and, from phenylmercuric acetate by subcellular fractions of rat liver (Daniel, J. W., Gage, J. C. & Lefevre, P. A.) 961–967

Bile acids, monohydroxy, unsaturated, identification of, produced in human cholestatic liver disease (Murphy, G. M., Jansen, F. H. & Billing, B. H.) 491–494

Bile, excretion of metabolites of amphetamine and methamphetamine in, in the rat (Caldwell, J., Dring, L. G. & Williams, R. T.) 25–29

Bile, species variations in the threshold molecular-weight factor for the excretion of organic anions in (Hirom, P. C., Millburn, P., Smith, R. L. & Williams, R. T.) 1071–1077

Bilirubin, assay and properties of the digitonin-activated uridine diphosphate glucuronyltransferase activity of rat liver preparations with, as substrate (Heirwegh, K. P. M., Van de Vijver, M. & Fevery, J.) 605–618
Bilirubin, enzymic transfer of glucose and xylose from uridine diphosphate glucose and uridine diphosphate xylose to, by untreated and digitonin-activated rat liver preparations (Fevery, J., Leroy, P. & Heirwegh, K. P. M.) 619–633
Bilirubin IX-α, ready isomerization of, to bilirubin III-α and bilirubin XIII-α in aqueous solution (McDonagh, A. F. & Assisi, F.) 797–800
Bilirubin, structures of the bilirubin conjugates biosynthesized *in vitro* from, and uridine diphosphate glucuronic acid, uridine diphosphate glucose and uridine diphosphate xylose by untreated and digitonin-activated preparations of rat liver (Fevery, J., Leroy, P., Van de Vijver, M. & Heirwegh, K. P. M.) 635–644
Blood, arterial, effects of acute and chronic morphine treatment and of morphine withdrawal on the partial pressure of carbon dioxide in, and consequent effects on metabolism in rat brain *in vivo* (Miller, A. L., Hawkins, R. A., Harris, R. L. & Veech, R. L.) 463–469
Blood, measurements of the uptake of metabolites from, by lactating rat mammary gland (Hawkins, R. A. & Williamson, D. H.) 1171–1173
Blood, mouse, measurement of the concentration of L-asparagine in small samples of, by a radiometric technique (Cooney, D. A. & Milman, H. A.) 953–960
Blood-group-M,N antigen, human, isolation of the erythrocyte membrane sialoglycoprotein carrying (Tanner, M. J. A. & Boxer, D. H.) 333–347
Brain cortex, ox, assessment of a method for the determination of adenosine 3′:5′-cyclic monophosphate in preparations of, by saturation analysis with a binding protein from ox skeletal muscle (Weller, M., Rodnight, R. & Carrera, D.) 113–121
Brain, effect of asphyxia on the activities of lysosomal acid hydrolases in, of the five-day-old rat (Adlard, B. P. F. & De Souza, S. W.) 1079–1084
Brain, goldfish, effect of environmental temperature on the kinetic properties of choline acetyltransferase from (Hebb, C., Stephens, T. C. & Smith, M. W.) 1013–1021
Brain, mouse, biosynthesis, interconversion and catabolism of purine ribonucleotides in preparations of, *in vitro* (Wong, P. C. L. & Henderson, J. F.) 1085–1094
Brain, rat, effects of acute and chronic morphine treatment and of morphine withdrawal on metabolism in, *in vivo* (Miller, A. L., Hawkins, R. A., Harris, R. L. & Veech, R. L.) 463–469
Brain, rat, reaction of acetyl-coenzyme A with choline acetyltransferase from (Prempeh, A. B. A., Prince, A. K. & Hide, E. G. J.) 991–994
Brain, rat, ribonucleic acid polymerase activities in the various classes of nuclei from, fractionated by zonal centrifugation (Austoker, J., Cox, D. & Mathias, A. P.) 1139–1155
Brome-mosaic virus, enzyme-mediated binding of tyrosine to the ribonucleic acid of (Hall, T. C., Shih, D. S. & Kaesberg, P.) 969–976
Bromohydroxyacetone phosphate, reaction of, with a unique glutamic acid residue and the migration of the label to a tyrosine residue of chicken breast-muscle triose phosphate isomerase (de la Mare, S., Coulson, A. F. W., Knowles, J. R., Priddle, J. D. & Offord, R. E.) 321–331
2-Bromopalmitate, specific inhibition by, and its coenzyme A and carnitine esters of fatty acid oxidation by rat liver mitochondria (Chase, J. F. A. & Tubbs, P. K.) 55–65

Caeruloplasmin, method for obtaining linear Michaelis–Menten plots with, and its application in a study of the kinetic parameters for caeruloplasmin substrates (Young, S. N. & Curzon, G.) 273–283
Calcium ions, modification by, of the translocation of adenine nucleotides in rat liver mitochondria (Spencer, T. & Bygrave, F. L.) 355–365
Calcium ions, stabilization by, of gluconeogenesis in rat liver slices (Roobol, A. & Alleyne, G. A. O.) 231–239
Callus cells, tuber, sweet-potato, cultured, distribution of glucose phosphate isomerase isoenzymes in sweet-potato tubers and in (Sasaki, T., Tadokoro, K. & Suzuki, S.) 789–791
Carassius auratus, *see* Goldfish
Carbamoyl phosphate, enzymic aspects of the control of the biosynthesis of, and its utilization in the pathways for the biosynthesis of pyrimidine nucleotides and of arginine in mung-bean seedlings (Ong, B. L. & Jackson, J. F.) 583–593
Carbohydrate, metabolism of, in the isolated perfused liver of the starved rat (Hems, D. A., Whitton, P. D. & Taylor, E. A.) 529–538
Carbohydrates, various, fatty acid synthetase activities in the liver and epididymal adipose tissue of rats fed with (Bruckdorfer, K. R., Khan, I. H. & Yudkin, J.) 439–446
Carbon dioxide, arterial-blood, effects of acute and chronic morphine treatment and of morphine withdrawal on the partial pressure of, and consequent effects on metabolism in rat brain *in vivo* (Miller, A. L., Hawkins, R. A., Harris, R. L. & Veech, R. L.) 463–469
Carbon monoxide, kinetics of the binding of oxygen and, to haemoglobin from *Gastrophilus intestinales* larvae (Phelps, C. F., Antonini, E., Brunori, M. & Kellett, G.) 891–896
Carnitine, 2-bromopalmitoyl-, specific inhibition by, of fatty acid oxidation by rat liver mitochondria (Chase, J. F. A. & Tubbs, P. K.) 55–65
Cartilage, chick-embryo, replacement of protein–polysaccharides in, in organ culture after treatment with testicular hyaluronidase (Hardingham, T. E., Fitton-Jackson, S. & Muir, H.) 101–112
Cataract, conformational changes in human lens proteins in (Harding, J. J.) 97–100
Catechols, application of a method for obtaining linear Michaelis–Menten plots with caeruloplasmin in a study of the kinetic parameters for, and other caeruloplasmin substrates (Young, S. N. & Curzon, G.) 273–283
Cathepsin, lysosomal, effect of asphyxia on the activity of, in the brain of the five-day-old rat (Adlard, B. P. F. & De Souza, S. W.) 1079–1084
Cathepsins, lysosomal, inactivation by, of tyrosine aminotransferase in neutral homogenates of rat liver (Auricchio, F., Mollica, L. & Liguori, A.) 1131–1138

Cations, univalent, roles of, in the reaction catalysed by phosphate acetyltransferase from *Clostridium kluyveri* (Kyrtopoulos, S. A. & Satchell, D. P. N.) 1163–1166
Cell walls, study of the phosphate linkages of phosphomannan from, of *Saccharomyces cerevisiae* (Cawley, T. N., Harrington, M. G. & Letters, R.) 711–720
Cells, ascites-tumour, mouse, electrogenic sodium pump as a possible factor leading to the concentration of amino acids by, with reversed sodium ion concentration gradients (Gibb, L. E. & Eddy, A. A.) 979–981
Cells, callus, tuber, sweet-potato, cultured, distribution of glucose phosphate isomerase isoenzymes in sweet-potato tubers and in (Sasaki, T., Tadokoro, K. & Suzuki, S.) 789–791
Cerebral cortex, ox, assessment of a method for the determination of adenosine 3′:5′-cyclic monophosphate in preparations of, by saturation analysis with a binding protein from ox skeletal muscle (Weller, M., Rodnight, R. & Carrera, D.) 113–121
Cerebral ganglion, squid, reaction of acetyl-coenzyme A with choline acetyltransferase from (Prempeh, A. B. A., Prince, A. K. & Hide, E. G. J.) 991–994
Cerebrum, mouse, biosynthesis, interconversion and catabolism of purine ribonucleotides in preparations of, *in vitro* (Wong, P. C. L. & Henderson, J. F.) 1085–1094
Chick embryo, replacement of protein–polysaccharides in cartilage from, in organ culture after treatment with testicular hyaluronidase (Hardingham, T. E., Fitton-Jackson, S. & Muir, H.) 101–112
Chlamydomonas reinhardtii, activity of deoxyribonucleic acid polymerase in (Schönherr, O.Th. & Keir, H. M.) 285–290
Chlorambucil, increased anti-tumour activity of, after pretreatment of rats with phenobarbitone (Hill, B. T.) 44P
Chlorella pyrenoidosa, activity of deoxyribonucleic acid polymerase in (Schönherr, O.Th. & Keir, H. M.) 285–290
Chloride ions, catalysis by diphenyleneiodonium of the exchange of, and hydroxyl ions across the inner membrane of rat liver mitochondria (Holland, P. C. & Sherratt, H. S. A.) 39–54
Chloromercuribenzene-*p*-sulphonate, effects of, on insulin release by and glucose transport, glucose oxidation, membrane permeability and ultrastructure in microdissected islets of Langerhans from obese–hyperglycaemic mouse pancreas (Bloom, G. D., Hellman, B., Idahl, L.-Å., Lernmark, Å., Sehlin, J. & Täljedal, I.-B.) 241–254
p-Chloromercuribenzoate, effects of, on insulin release by and glucose transport, glucose oxidation, membrane permeability and ultrastructure in micro-dissected islets of Langerhans from obese–hyperglycaemic mouse pancreas (Bloom, G. D., Hellman, B., Idahl, L.-Å., Lernmark, Å., Sehlin, J. & Täljedal, I.-B.) 241–254
Chloropseudomonas ethylica, determination of the hyperfine field of the iron in Mössbauer spectra of rubredoxin from (Rao, K. K., Evans, M. C. W., Cammack, R., Hall, D. O., Thompson, C. L., Jackson, P. J. & Johnson, C. E.) 1063–1070
Cholesta-7,9-dien-3β-ol, enzymic conversion of, into cholesta-8,14-dien-3β-ol by rat liver microsomal fraction (Akhtar, M., Freeman, C. W., Rahimtula, A. D. & Wilton, D. C.) 225–229
Cholesta-8,14-dien-3β-ol, enzymic conversion of cholesta-7,9-dien-3β-ol into, by rat liver microsomal fraction (Akhtar, M., Freeman, C. W., Rahimtula, A. D. & Wilton, D. C.) 225–229
Cholestatic liver disease, human, identification of unsaturated mobohydroxy bile acids produced in (Murphy, G. M., Jansen, F. H. & Billing, B. H.) 491–494
Cholesterol, concentration of, in the plasma of obese–hyperglycaemic mice (Enser, M.) 447–453
Cholesterol esterase, factors affecting the activities of the cholesterol side-chain-cleavage enzyme system and, in rat adrenal gland (Simpson, E. R., Trzeciak, W. H., McCarthy, J. L., Jefcoate, C. R. & Boyd, G. S.) 10P–11P
Cholesteryl 14-methylhexadecanoate, protein biosynthesis by cell-free fractions obtained from the liver of rats injected with (Komárková, E. & Hradec, J.) 367–372
Choline acetyltransferase, effect of environmental temperature on the kinetic properties of, from goldfish brain (Hebb, C., Stephens, T. C. & Smith, M. W.) 1013–1021
Choline acetyltransferase, reaction of acetyl-coenzyme A with, from squid cerebral ganglion and from rat brain (Prempeh, A. B. A., Prince, A. K. & Hide, E. G. J.) 991–994
Chorionic gonadotrophin, human, lactogenic action of, in the rat (Kuhn, N. J.) 495–496
Chromaffin granules, adrenal-gland-medulla, ox, identification of dopamine β-hydroxylase as a major constituent of the membrane proteins of (Hörtnagl, H., Winkler, H. & Lochs, H.) 187–195
Chromatin, heterogeneity of the non-histone proteins of (MacGillivray, A. J., Rickwood, D. & Paul, J.) 50P
Chromatin, modified procedure for the fractionation of histones from, from animal sources (Oliver, D., Sommer, K. R., Panyim, S., Spiker, S. & Chalkley, R.) 349–353
Chromatin, studies on the phosphorylation of the non-histone proteins of, and their effect on the transcription of deoxyribonucleic acid (Rickwood, D., Threlfall, G., MacGillivray, A. J., Paul, J. & Riches, P.) 50P–51P
Chromatophores, light-dependent biosynthesis of inorganic pyrophosphate by, from *Rhodospirillum rubrum* (Guillory, R. J. & Fisher, R. R.) 471–481
Chromomembrin A, identification of, of chromaffin-granule membranes from ox adrenal-gland medulla as dopamine β-hydroxylase (Hörtnagl, H., Winkler, H. & Lochs, H.) 187–195
Chymosin, *see* Rennin
Claviceps purpurea, metabolic role of β-D-fructofuranosidase in (Dickerson, A. G.) 263–272
Clearing-factor lipase, *see* Lipase, clearing-factor
Clostridia, role of, in the gut microflora in the metabolism of cyclamate in the rat (Drasar, B. S., Renwick, A. G. & Williams, R. T.) 881–890
Clostridium kluyveri, roles of univalent cations in the reaction catalysed by phosphate acetyltransferase from (Kyrtopoulos, S. A. & Satchell, D. P. N.) 1163–1166
Clostridium pasteurianum, determination of the hyperfine field of the iron in Mössbauer spectra of rubredoxin from (Rao, K. K., Evans, M. C. W., Cammack, R., Hall, D. O., Thompson, C. L., Jackson, P. J. & Johnson, C. E.) 1063–1070

Coenzyme A, 2-bromopalmitoyl-, specific inhibition by, of fatty acid oxidation by rat liver mitochondria (Chase, J. F. A. & Tubbs, P. K.) 55–65
Collagen, convenient method for the synthesis of the reduction products of several cross-links of, and their precursors (Davis, N. R. & Bailey, A. J.) 91–96
Collagen, skin, chicken, effects of treatment with pepsin on the solubility, subunit composition and aggregation properties of (Bannister, D. W. & Burns, A. B.) 677–681
Cordycepin, inhibition of the deoxyribonucleic acid-dependent ribonucleic acid polymerases of mouse liver *in vivo* by the exotoxin of *Bacillus thuringiensis* in comparison with the effects of α-amanitin and (Smuckler, E. A. & Hadjiolov, A. A.) 153–166
Corticosterone, interactions of insulin, prolactin and, in promoting the biosynthesis of milk fat by mammary-gland explants from pregnant rabbits (Forsyth, I. A., Strong, C. R. & Dils, R.) 929–935
Corticotrophin, *see* Adrenocorticotrophin
Cortisone reductase, structure–activity relations for the nicotinamide–adenine dinucleotide-linked 3-hydroxy steroid oxidoreductase activity of, with special reference to the ring A/B junction and ring D (Gibb, W. & Jeffery, J.) 24P
Cortisone reductase, structure–activity relations for the nicotinamide–adenine dinucleotide-linked 20β-hydroxy steroid oxidoreductase activity of, with special reference to ring B (White, I. H. & Jeffery, J.) 24P
Cyanogen bromide, possible use of fragments cleaved from proteins by, for the semisynthesis of proteins and polypeptides (Offord, R. E.) 499–501
Cyclamate (cyclohexylsulphamate), metabolic fate of, in the rat, rabbit, guinea pig and man (Renwick, A. G. & Williams, R. T.) 869–879
Cyclamate (cyclohexylsulphamate), role of the gut microflora in the metabolism of, in the rat, rabbit, guinea pig and man (Drasar, B. S., Renwick, A. G. & Williams, R. T.) 881–890
Cyclic adenosine monophosphate, *see* Adenosine 3′:5′-cyclic monophosphate
Cyclic nucleotides, *see* Nucleotides, cyclic
trans-Cyclohexane-1,2-diol, identification of, as a metabolite of cyclohexylamine in the rabbit, guinea pig and man (Renwick, A. G. & Williams, R. T.) 857–867
Cyclohexanol, identification of, as a metabolite of cyclohexylamine in the rat, rabbit, guinea pig and man (Renwick, A. G. & Williams, R. T.) 857–867
Cyclohexylamine, formation of, from cyclamate in the rat, rabbit, guinea pig and man (Renwick, A. G. & Williams, R. T.) 869–879
Cyclohexylamine, metabolism of, in the rat, rabbit, guinea pig and man (Renwick, A. G. & Williams, R. T.) 857–867
Cyclohexylamine, role of the gut microflora in the formation of, from cyclamate in the rat, rabbit, guinea pig and man (Drasar, B. S., Renwick, A. G. & Williams, R. T.) 881–890
Cyclohexylsulphamate (cyclamate), metabolic fate of, in the rat, rabbit, guinea pig and man (Renwick, A. G. & Williams, R. T.) 869–879
Cyclohexylsulphamate (cyclamate), role of the gut microflora in the metabolism of, in the rat, rabbit, guinea pig and man (Drasar, B. S., Renwick, A. G. & Williams, R. T.) 881–890
Cyclopentanol, metabolism of, by *Pseudomonas* N.C.I.B. 9872 (Griffin, M. & Trudgill, P. W.) 595–603
Cyclopentanone, identification of, as a metabolite of cyclopentanol in *Pseudomonas* N.C.I.B. 9872 (Griffin, M. & Trudgill, P. W.) 595–603
Cysteine, stimulation, by, of the inactivation of tyrosine aminotransferase in rat liver slices (Auricchio, F., Mollica, L. & Liguori, A.) 1131–1138
Cytochrome b_5, microsomal, lack of effect of exogenous 5-aminolaevulinate on the concentration of, in rat liver (Druyan, R. & Kelly, A.) 1095–1099
Cytochrome b_{556}, presence of, in mesosomal membranes from *Micrococcus lysodeikticus* N.C.T.C. 2665 (Owen, P. & Freer, J. H.) 907–917
Cytochrome *c*, amino acid sequence of, from the rust fungus *Ustilago sphaerogena* (Bitar, K. G., Vinogradov, S. N., Nolan, C., Weiss, L. J. & Margoliash, E.) 561–569
Cytochrome *c* oxidase, mutant of *Candida utilis* with a novel terminal oxidase different from (Downie, J. A. & Garland, P. B.) 47P
Cytochrome *c* peroxidase, association of nicotinate oxidase with an electron-transport chain containing cytochrome *o* and, as terminal oxidases in *Pseudomonas ovalis* Chester (Jones, M. V. & Hughes, D. E.) 755–761
Cytochrome *o*, association of nicotinate oxidase with an electron-transport chain containing cytochrome *c* peroxidase and, as terminal oxidases in *Pseudomonas ovalis* Chester (Jones, M. V. & Hughes, D. E.) 755–761
Cytochrome *P*-450, effect of the administration of hexachlorobenzene on the microsomal content of, in rat liver (Rajamanickam, C., Amrutavalli, J., Rao, M. R. S. & Padmanaban, G.) 381–387
Cytochrome *P*-450, microsomal, lack of effect of exogenous 5-aminolaevulinate on the concentration of, in rat liver (Druyan, R. & Kelly, A.) 1095–1099
Cytochromes, concentrations of, and activities of reduced nicotinamide–adenine dinucleotide dehydrogenase, succinate dehydrogenase and α-glycerophosphate dehydrogenase in populations of rat liver mitochondria separated by rate zonal centrifugation (Wilson, M. A. & Cascarano, J.) 209–218
Cytochromes, mitochondrial, lack of effect of exogenous 5-aminolaevulinate on the concentration of, in rat liver (Druyan, R. & Kelly, A.) 1095–1099
Cytokinins, effects of, on the biosynthesis of protein, nucleic acids and starch in duckweed (McCombs, P. J. A. & Ralph, R. K.) 403–417
Cytosine residues, differences in the patterns of methylation of, and other base residues of rat liver ribosomal ribonucleic acid after reaction *in vivo* with methyl methanesulphonate and *NN*-dimethylnitrosamine (O'Connor, P. J., Capps, M. J., Craig, A. W., Lawley, P. D. & Shah, S. A.) 519–528

Dandelion (*Taraxacum officinale*) root, mode of action of β-fructofuranosidases from, on inulin (Rutherford, P. P. & Deacon, A. C.) 511–512
Deoxycytidylate deaminase, physical and kinetic properties of, from normal and virus-infected mammalian cells (Rolton, H. A., Bates, J. & Keir, H. M.) 14P–15P

Deoxyribonucleic acid, comparison of the utilization of thymine and thymidine as precursors for the biosynthesis of, in *Bacillus subtilis* and their specific inhibition by 6-(*p*-hydroxyphenylazo)uracil and caffeine (Fraser, L., Mitchell, A. I. & Harris, W. J.) 49P–50P
Deoxyribonucleic acid, effects of cytokinins on the biosynthesis of starch, protein, ribonucleic acid, and in duckweed (McCombs, P. J. A. & Ralph, R. K.) 403–417
Deoxyribonucleic acid, mammalian, homopolymer sequences in (Shenkin, A. & Burdon, R. H.) 51P
Deoxyribonucleic acid polymerase, activity of, in several species of algae (Schönherr, O. Th. & Keir, H. M.) 285–290
Deoxyribonucleic acid polymerases, nuclear, properties of, from Landschütz ascites-tumour cells (Marshall, V. M., Bates, J. & Keir, H. M.) 26P
Deoxyribonucleic acid, supercoiled, tertiary-structure transitions in (Jolly, D. J. & Campbell, A. M.) 42P
Deoxyribonucleic acid, uptake of amino acids and precursors of ribonucleic acid and, by regenerating rat liver (Ord, M. G. & Stocken, L. A.) 175–181
Development, changes in the content and species of ferritin in rat liver during (Linder, M. C., Moor, J. R., Scott, L. E. & Munro, H. N.) 455–462
Diet, low-protein, effect of, on the incorporation of amino acids into serum lipoproteins in the rat (Seakins, A. & Waterlow, J. C.) 793–795
Digitonin, activation by, of the bilirubin uridine diphosphate glucuronyltransferase activity of rat liver preparations (Heirwegh, K. P. M., Van de Vijver, M. & Fevery, J.) 605–618
3,4-Dihydroxybenzoate, identification of, as a metabolite of undecylbenzene-*p*-sulphonate in *Bacillus* sp. (Willetts, A. J. & Cain, R. B.) 389–402
5,6-Dihydroxynorleucine, convenient method for the synthesis of, and other reduction products of collagen cross-links (Davis, N. R. & Bailey, A. J.) 91–96
3,4-Dihydroxyphenethylamine (dopamine) β-hydroxylase, identification of, as a major constituent of the membrane proteins of chromaffin granules from ox adrenal-gland medulla (Hörtnagl, H., Winkler, H. & Lochs, H.) 187–195
3,4-Dihydroxyphenylacetate, identification of, as a metabolite of dodecylbenzene-*p*-sulphonate in *Bacillus* sp. (Willetts, A. J. & Cain, R. B.) 389–402
3-(3,4-Dihydroxyphenyl)-2-methylalanine (α-methyldopa), ^{14}C-labelled, metabolism of, in normal and hypertensive human subjects (Au, W. Y. W., Dring, L. G., Grahame-Smith, D. G., Isaac, P. & Williams, R. T.) 1–10
7,12-Dimethylbenz[*a*]anthracene, formation of an epoxide in the microsomal metabolism of (Keysell, G. R., Booth, J., Sims, P., Grover, P. L. & Hewer, A.) 41P–42P
NN-Dimethylnitrosamine, differences in the patterns of methylation of the base residues of rat liver ribosomal ribonucleic acid after reaction *in vivo* with methyl methanesulphonate and (O'Connor, P. J., Capps, M. J., Craig, A. W., Lawley, P. D. & Shah, S. A.) 519–528
NN-Dimethyl-*p*-phenylenediamine, application of a method for obtaining linear Michaelis–Menten plots with caeruloplasmin in a study of the kinetic parameters for, and other caeruloplasmin substrates (Young, S. N. & Curzon, G.) 273–283
Diphenyleneiodonium, catalysis by, of the exchange of anions and hydroxyl ions across the inner membrane of rat liver mitochondria and its effects on oxygen uptake (Holland, P. C. & Sherratt, H. S. A.) 39–54
Dodecyl sulphate, sodium, physical properties of ovalbumin after denaturation with, and after subsequent partial renaturation (Holt, J. C. & Creeth, J. M.) 665–676
Dodecylbenzene-*p*-sulphonate, metabolism of, by *Bacillus* sp. (Willetts, A. J. & Cain, R. B.) 389–402
Dopamine β-hydroxylase, identification of, as a major constituent of the membrane proteins of chromaffin granules from ox adrenal-gland medulla (Hörtnagl, H., Winkler, H. & Lochs, H.) 187–195
Duckweed (*Spirodela oligorrhiza*), effects of cytokinins on the biosynthesis of protein, nucleic acids and starch in (McCombs, P. J. A. & Ralph, R. K.) 403–417

Electric organ, heterogeneity of bound acetylcholine in synaptic vesicles from, of *Torpedo marmorata* (Marchbanks, R. M. & Israël, M.) 1049–1061
Electron-transport chain, association of nicotinate oxidase with, containing cytochrome *o* and cytochrome *c* peroxidase as terminal oxidases in *Pseudomonas ovalis* Chester (Jones, M. V. & Hughes, D. E.) 755–761
Endoplasmic reticulum, *see* Reticulum, endoplasmic
Enterobacteria, role of, in the gut microflora in the metabolism of cyclamate in the rabbit (Drasar, B. S., Renwick, A. G. & Williams, R. T.) 881–890
Enterococci, role of, in the gut microflora in the metabolism of cyclamate in man (Drasar, B. S., Renwick, A. G. & Williams, R. T.) 881–890
Enzymes, autolytic, presence of, in mesosomal membranes from *Micrococcus lysodeikticus* N.C.T.C. 2665 (Owen, P. & Freer, J. H.) 907–917
Enzymes, graphical determination of the Michaelis constants and inhibitor constants of (Dixon, M.) 197–202
Epididymis, clearing-factor lipase activities of heart muscle and adipose tissue of, of obese–hyperglycaemic mice (Enser, M.) 447–453
Epididymis, fatty acid synthesis activities in the liver and adipose tissue of, of rats fed with various carbohydrates (Bruckdorfer, K. R., Khan, I. H. & Yudkin, J.) 439–446
Epididymis, rat, mechanisms regulating the activity of pyruvate dehydrogenase in adipose tissue of (Martin, B. R., Denton, R. M., Pask, H. T. & Randle, P. J.) 763–773
Erythrocytes, human, separation and properties of the major proteins of the membrane of (Tanner, M. J. A. & Boxer, D. H.) 333–347
Escherichia coli K12 (M.R.E. 600), variations in the activity of deoxyribonucleic acid-dependent ribonucleic acid polymerase in, during growth (Abraham, K. A., Andersen, K. J. & Rognes, A.) 291–299
Ethanol, alcoholysis of the endogenous phosphate esters in the liver of rats treated with large doses of (Tomaszewski, M. & Buchowicz, J.) 183–186
Ethoxyformic anhydride, inactivation of ox liver glutamate dehydrogenase by acylation of its histidine residues with (Tudball, N., Bailey-Wood, R. & Thomas, P.) 419–425

Ethyl phosphate, formation of, in the liver of rats treated with large doses of ethanol (Tomaszewski, M. & Buchowicz, J.) 183–186
Euglena gracilis, activity of deoxyribonucleic acid polymerase in (Schönherr, O.Th. & Keir, H. M.) 285–290
Exotoxin, inhibition of the deoxyribonucleic acid-dependent ribonucleic acid polymerases of mouse liver *in vivo* by, of *Bacillus thuringiensis* in comparison with the effects of α-amanitin and cordycepin (Smuckler, E. A. & Hadjiolov, A. A.) 153–166

Faeces, excretion of inorganic mercury as a metabolite of phenylmercuric acetate in, in the rat (Daniel, J. W., Gage, J. C. & Lefevre, P. A.) 961–967
Faeces, excretion of metabolites of ^{14}C-labelled α-methyldopa in, in normal and hypertensive human subjects (Au, W. Y. W., Dring, L. G., Grahame-Smith, D. G., Isaac, P. & Williams, R. T.) 1–10
Faeces, excretion of metabolites of [^{14}C]methamphetamine in, in the guinea pig and the rat (Caldwell, J., Dring, L. G. & Williams, R. T.) 11–22
Fat-cells, epididymal, rat, mechanisms regulating the activity of pyruvate dehydrogenase in isolated mitochondria from (Martin, B. R., Denton, R. M., Pask, H. T. & Randle, P. J.) 763–773
Fat, milk, interactions of insulin, corticosterone and prolactin in promoting the biosynthesis of, by mammary-gland explants from pregnant rabbits (Forsyth, I. A., Strong, C. R. & Dils, R.) 929–935
Fatty acid synthetase system, activity of, in the liver and epididymal adipose tissue of rats fed with various carbohydrates (Bruckdorfer, K. R., Khan, I. H. & Yudkin, J.) 439–446
Fatty acids, interactions of insulin, corticosterone and prolactin in promoting the biosynthesis of, by mammary-gland explants from pregnant rabbits (Forsyth, I. A. Strong, C. R. & Dils, R.) 929–935
Fatty acids, non-esterified, effects of lipid depletion, glucose and, on metabolism *in vitro* in brown adipose tissue from newborn rabbits (Knight, B. L.) 1175–1177
Fatty acids, specific inhibition by 2-bromopalmitate and its coenzyme A and carnitine esters of the oxidation of, by rat liver mitochondria (Chase, J. F. A. & Tubbs, P. K.) 55–65
Fatty acyl (long-chain)-coenzyme A synthetase, microsomal, liver, rat (Bar-Tana, J., Rose, G. & Shapiro, B.) 1101–1107
Ferredoxin, spectroscopic characterization of, from *Microcystis flos-aquae* (Rao, K. K., Smith, R. V., Cammack, R., Evans, M. C. W., Hall, D. O. & Johnson, C. E.) 1159–1162
Ferritin, prenatal and postnatal changes in the content and species of, in rat liver (Linder, M. C., Moor, J. R., Scott, L. E. & Munro, H. N.) 455–462
Ferroxidase, *see* Caeruloplasmin
Fibrinogen, inhibition by a macromolecular factor from rat liver of the action of thrombin on (Flengsrud, R., Østerud, B. & Prydz, H.) 83–89
Flavin mononucleotide, sensitization by, of the photo-oxidation of glyoxylate in Good's buffers (Halliwell, B. & Butt, V. S.) 1157–1158
Flavins, non-enzymic decarboxylation of oxalate catalysed by, in the presence of light (Halliwell, B.) 497–498
Flavone glucosides, malonated, hydrolysis of, by higher-plant enzymes (Davenport, H. E. & Dupont, M. S.) 18P–19P
β-Fructofuranosidase, lysosomal localization of liposomes containing, after injection into rats and some implications in the treatment of genetic disorders (Gregoriadis, G. & Ryman, B. E.) 123–133
β-D-Fructofuranosidase, metabolic role of, in *Claviceps purpurea* (Dickerson, A. G.) 263–272
β-Fructofuranosidases, root, dandelion, mode of action of, on inulin (Rutherford, P. P. & Deacon, A. C.) 511–512
Fructose 1,6-diphosphate, kinetics of the reaction catalysed by baker's-yeast pyruvate kinase activated by (Macfarlane, N. & Ainsworth, S.) 1035–1047
Fructose, fatty acid synthetase activities in the liver and epididymal adipose tissue of rats fed with, and other carbohydrates (Bruckdorfer, K. R., Khan, I. H. & Yudkin, J.) 439–446

Galactose, transport and metabolism of, in rat kidney-cortex slices (McNamara, P. D. & Segal, S.) 1109–1118
Ganglion, cerebral, squid, reaction of acetyl-coenzyme A with choline acetyltransferase from (Prempeh, A. B. A., Prince, A. K. & Hide, E. G. J.) 991–994
Gastrophilus intestinales larvae, kinetics of the binding of oxygen and carbon monoxide to haemoglobin from (Phelps, C. F., Antonini, E., Brunori, M. & Kellett, G.) 891–896
Genetic disorders, lysosomal localization of β-fructofuranosidase-containing liposomes after injection into rats and some implications in the treatment of (Gregoriadis, G. & Ryman, B. E.) 123–133
Glomeruli, kidney, rat, content and composition of the basement membrane of, in experimental nephrosis (Fung, K. K. & Kalant, N.) 733–741
Glucagon, effect of, on the activity of adenylate cyclase from mouse pancreas islets of Langerhans (Davis, B. & Lazarus, N. R.) 373–379
Glucomannan, interaction of guanosine diphosphate glucosyltransferase and guanosine diphosphate mannosyltransferase activities in the biosynthesis of, by a Triton X-100-solubilized enzyme preparation from mung-bean seedlings (Heller, J. S. & Villemez, C. L.) 645–655
Gluconeogenesis from galactose in the presence of pyruvate by rat kidney-cortex slices (McNamara, P. D. & Segal, S.) 1109–1118
Gluconeogenesis, stabilization of, in rat liver slices by calcium ions and by manganous ions (Roobol, A. & Alleyne, G. A. O.) 231–239
Glucose, biosynthesis of glycogen from, in the isolated perfused liver of the starved rat (Hems, D. A., Whitton, P. D. & Taylor, E. A.) 529–538
Glucose, effect of anoxia on the metabolism of, in ox lens (Trayhurn, P. & van Heyningen, R.) 507–509
Glucose, effects of acute and chronic morphine treatment and of morphine withdrawal on the concentrations of, and other metabolites in rat brain *in vivo* (Miller, A. L., Hawkins, R. A., Harris, R. L. & Veech, R. L.) 463–469
Glucose, effects of lipid depletion, non-esterified fatty acids and, on metabolism *in vitro* in brown adipose tissue from newborn rabbits (Knight, B. L.) 1175–1177

Glucose, effects of organic mercurials on the transport and oxidation of, in micro-dissected islets of Langerhans from obese–hyperglycaemic mouse pancreas (Bloom, G. D., Hellman, B., Idahl, L.-Å., Lernmark, Å., Sehlin, J. & Täljedal, I.-B.) 241–254
Glucose, enzymic transfer of, from uridine diphosphate glucose to bilirubin by untreated and digitonin-activated rat liver preparations (Fevery, J., Leroy, P. & Heirwegh, K. P. M.) 619–633
Glucose, fatty acid synthetase activities in the liver and epididymal adipose tissue of rats fed with, and other carbohydrates (Bruckforder, K. R., Khan, I. H. & Yudkin, J.) 439–446
Glucose, formation of, from galactose in the presence of pyruvate by rat kidney-cortex slices (McNamara, P. D. & Segal, S.) 1109–1118
Glucose, immobilization of glucose oxidase on nylon structures and its use in the automated determination of (Inman, D. J. & Hornby, W. E.) 255–262
Glucose, lack of effect of, on the activity of adenylate cyclase from mouse pancreas islets of Langerhans (Davis, B. & Lazarus, N. R.) 373–379
Glucose, measurements of the uptake of, and other metabolites from the blood by lactating rat mammary gland (Hawkins, R. A. & Williamson, D. H.) 1171–1173
Glucose oxidase, immobilization of, on nylon structures and its use in the automated determination of glucose (Inman, D. J. & Hornby, W. E.) 255–262
Glucose phosphate isomerase, distribution of the iso-enzymes of, in sweet-potato tubers and in tissue cultures of their callus cells (Sasaki, T., Tadokoro, K. & Suzuki, S.) 789–791
Glucose, reaction of, with peptides (Dixon, H. B. F.) 203–208
Glucose, release of, by the action of *Claviceps purpurea* β-D-fructofuranosidase on sucrose and oligofructosides (Dickerson, A. G.) 263–272
S-β-D-Glucosides, mechanism of the biosynthesis of *S*-β-D-glucuronides by mouse liver preparations and of, by slug gut preparations (Dutton, G. J. & Illing, H. P. A.) 539–550
β-Glucuronidase, lysosomal, effect of asphyxia on the activity of, in the brain of the five-day-old rat (Adlard, B. P. F. & De Souza, S. W.) 1079–1084
S- and *O*-β-D-Glucuronides, comparison of uridine diphosphate glucuronyltransferase activities synthesizing (Illing, H. P. A. & Dutton, G. J.) 15P
S-β-D-Glucuronides, mechanism of the biosynthesis of *S*-β-D-glucosides by slug gut preparations and of *S*-β-D-glucuronides by mouse liver preparations (Dutton, G. J. & Illing, H. P. A.) 539–550
Glutamate dehydrogenase, liver, ox, role of histidine residues in (Tudball, N., Bailey-Wood, R. & Thomas, P.) 419–425
Glutamic acid residue, unique, reaction of bromohydroxyacetone phosphate with, and the migration of the label to a tyrosine residue of chicken breast-muscle triose phosphate isomerase (de la Mare, S., Coulson, A. F. W., Knowles, J. R., Priddle, J. D. & Offord, R. E.) 321–331
Glutarate, identification of, as a metabolite of cyclopentanol in *Pseudomonas* N.C.I.B. 9872 (Griffin, M. & Trudgill, P. W.) 595–603
α-Glycerophosphate dehydrogenase, concentrations of cytochromes and activities of reduced nicotinamide–adenine dinucleotide dehydrogenase, succinate dehydrogenase and, in populations of rat liver mitochondria separated by rate zonal centrifugation (Wilson, M. A. & Cascarano, J.) 209–218
Glycerylphosphoryldiglucosyl diglyceride, structure of, from the lipids of *Acholeplasma laidlawii* B (Shaw, N., Smith, P. F. & Verheij, H. M.) 167–173
Glycine, effect of a low-protein diet on the incorporation of, into serum lipoproteins in the rat (Seakins, A. & Waterlow, J. C.) 793–795
Glycogen, biosynthesis of, in the isolated perfused liver of the starved rat (Hems, D. A., Whitton, P. D. & Taylor, E. A.) 529–538
Glycolysis, effect of anoxia on, in ox lens (Trayhurn, P. & van Heyningen, R.) 507–509
Glycolysis, relationship between concentrations of metabolites and induction of enzymes involved in, in rat liver *in vivo* (Gunn, J. M. & Taylor, C. B.) 20P–21P
Glycoprotein, Tamm–Horsfall, rabbit, acid and enzymic hydrolysis of *O*-acetylated sialic acid residues of (Neuberger, A. & Ratcliffe, W. A.) 683–693
Glycoproteins, major, separation and properties of, of the human erythrocyte membrane (Tanner, M. J. A. & Boxer, D. H.) 333–347
Glyoxylate, flavin mononucleotide-sensitized photo-oxidation of, in Good's buffers (Halliwell, B. & Butt, V. S.) 1157–1158
Goldfish (*Carassius auratus*), effect of environmental temperature on the kinetic properties of choline acetyltransferase from the brain of (Hebb, C., Stephens, T. C. & Smith, M. W.) 1013–1021
Gonadotrophin, chorionic, human, lactogenic action of, in the rat (Kuhn, N. J.) 495–496
Growth hormone, concentrations of aspartate and asparagine in the tissues of rats treated with (Ottaway, J. H.) 503–505
Guanidinium chloride, physical properties of ovalbumin after denaturation with, and after subsequent partial renaturation (Holt, J. C. & Creeth, J. M.) 665–676
Guanine residues, differences in the patterns of methylation of, and other base residues of rat liver ribosomal ribonucleic acid after reaction *in vivo* with methyl methanesulphonate and *NN*-dimethylnitrosamine (O'Connor, P. J., Capps, M. J., Craig, A. W., Lawley, P. D. & Shah, S. A.) 519–528
Guanine residues, methylation *in vitro* of, of transfer ribonucleic acid by cell-free extracts of adenovirus-18-induced hamster tumours (McFarlane, E. S.) 513–517
Guanine ribonucleotides, biosynthesis and metabolism of, in mouse brain preparations *in vitro* (Wong, P. C. L. & Henderson, J. F.) 1085–1094
Guanosine diphosphate glucosyltransferase, interaction of the activities of guanosine diphosphate mannosyltransferase and, in the biosynthesis of a glucomannan by a Triton X-100-solubilized enzyme preparation from mung-bean seedlings (Heller, J. S. & Villemez, C. L.) 645–655
Guanosine diphosphate mannosyltransferase, interaction of the activities of guanosine diphosphate glucosyltransferase and, in the biosynthesis of a glucomannan by a Triton X-100-solubilized enzyme preparation from mung-bean seedlings (Heller, J. S. & Villemez, C. L.) 645–655

Guanosine, effect of, on the biosynthesis of purine ribonucleotides in mouse brain preparations *in vitro* (Wong, P. C. L. & Henderson, J. F.) 1085–1094

Haem, effect of exogenous 5-aminolaevulinate on the concentration of, in rat liver (Druyan, R. & Kelly, A.) 1095–1099
Haem, effect of the administration of hexachlorobenzene on the biosynthesis of, in rat liver (Rajamanickam, C., Amrutavalli, J., Rao, M. R. S. & Padmanaban, G.) 381–387
Haem, perinatal development of the biosynthesis of, in rats, guinea pigs and humans (Moore, M. R., Thompson, G. G., Low, R. A. L. & Cumming, R. L. C.) 43P
Haem, regulatory function of δ-aminolaevulinate dehydratase in the pathway for the biosynthesis of, in *Neurospora crassa* (Muthukrishnan, S., Malathi, K. & Padmanaban, G.) 31–37
Haemoglobin, kinetics of the binding of oxygen and carbon monoxide to, from *Gastrophilus intestinales* larvae (Phelps, C. F., Antonini, E., Brunori, M. & Kellett, G.) 891–896
Haemoglobin A_{Ic}, reaction of glucose with valylhistidine to form a compound with properties similar to those of the substance released by proteolysis from the *N*-termini of the β-chains of (Dixon, H. B. F.) 203–208
Haemoproteins, single-chain, various, comparison of the binding constants for oxygen and carbon monoxide of (Phelps, C. F., Antonini, E., Brunori, M. & Kellett, G.) 891–896
Heart muscle, clearing-factor lipase activities in epididymal adipose tissue and, of obese–hyperglycaemic mice (Enser, M.) 447–453
Heart, rat, purification and comparison of the properties of isoenzymes of nicotinamide–adenine dinucleotide phosphate-linked isocitrate dehydrogenase from rat liver and (Islam, M., Bell, J. L. & Baron, D. N.) 1003–1011
Hepatectomy, partial, conversion of orotate into uridine 5′-monophosphate by isolated perfused regenerating rat liver obtained after (Fausto, N.) 811–820
Hepatectomy, partial, uptake of amino acids and nucleic acid precursors by rat liver during regeneration after (Ord, M. G. & Stocken, L. A.) 175–181
Hepatomas, rat, slow-growing, two, concentrations of polyamines in (Cavia, E. & Webb, T. E.) 223–224
Hexachlorobenzene, effect of the administration of, on haem biosynthesis in rat liver (Rajamanickam, C., Amrutavalli, J., Rao, M. R. S. & Padmanaban, G.) 381–387
Histidine, residues, role of, in ox liver glutamate dehydrogenase (Tudball, N., Bailey-Wood, R. & Thomas, P.) 419–425
Histone phosphatase, properties of cyclic-nucleotide-stimulated protein kinase and, from human lymphocytes (Murray, A. W., Froscio, M. & Kemp, B. E.) 995–1002
Histones, modified procedure for the fractionation of, from animal sources (Oliver, D., Sommer, K. R., Panyim, S., Spiker, S. & Chalkley, R.) 349–353
Histones, phosphorylation of, by adenosine 3′:5′-cyclic monophosphate-dependent protein phosphokinase from mammalian pancreas islets of Langerhans (Montague, W. & Howell, S. L.) 551–560

Hormones, interactions of, in promoting the biosynthesis of milk fat by mammary-gland explants from pregnant rabbits (Forsyth, I. A., Strong, C. R. & Dils, R.) 929–935
Hyaluronidase, testicular, replacement of protein-polysaccharides in embryonic chick cartilage in organ culture after treatment with (Hardingham, T. E., Fitton-Jackson, S. & Muir, H.) 101–112
Hydrolases, acid, lysosomal, effect of asphyxia on the activities of, in the brain of the five-day-old rat (Adlard, B. P. F. & De Souza, S. W.) 1079–1084
9-D-Hydroperoxyoctadeca-10,12-dienoate, identification of, as an intermediate in the enzymic conversion of linoleate into 9-(nona-1′,3′-dienoxy)non-8-enoate by homogenates of potato tubers (Galliard, T. & Phillips, D. R.) 743–753
p-Hydroxybenzoate, identification of, as a metabolite of undecylbenzene-*p*-sulphonate in *Bacillus* sp. (Willetts, A. J. & Cain, R. B.) 389–402
5-Hydroxyindoles, application of a method for obtaining linear Michaelis–Menten plots with caeruloplasmin in a study of the kinetic parameters for, and other caeruloplasmin substrates (Young, S. N. & Curzon, G.) 273–283
Hydroxyl ions, catalysis by diphenyleneiodinium of the exchange of anions and, across the inner membrane of rat liver mitochondria (Holland, P. C. & Sherratt, H. S. A.) 39–54
Hydroxylysinohydroxynorleucine, convenient method for the synthesis of, and other reduction products of collagen cross-links (Davis, N. R. & Bailey, A. J.) 91–96
Hydroxylysinonorleucine, convenient method for the synthesis of, and other reduction products of collagen cross-links (Davis, N. R. & Bailey, A. J.) 91–96
6-Hydroxynorleucine, convenient method for the synthesis of, and other reduction products of collagen cross-links (Davis, N. R. & Bailey, A. J.) 91–96
p-Hydroxyphenylacetate, identification of, as a metabolite of dodecylbenzene-*p*-sulphonate in *Bacillus* sp. (Willetts, A. J. & Cain, R. B.) 389–402
p-Hydroxyphenylpropionate, identification of, as a metabolite of undecylbenzene-*p*-sulphonate in *Bacillus* sp. (Willetts, A. J. & Cain, R. B.) 389–402
3β-Hydroxy[7α-^{3}H]pregn-5-en-20-one, biosynthesis *in vivo* and excretion of ^{3}H-labelled 16-unsaturated C_{19} steroids as metabolites of, in the boar (Saat, Y. A., Gower, D. B., Harrison, F. A. & Heap, R. B.) 657–663
5-Hydroxytryptamine, effect of, on potassium ion exchange by human platelets enriched in sialic acid (Michal, F., Born, G. V. R., Mester, L. & Szabados, L.) 977–978
5-Hydroxyvalerate, identification of, as a metabolite of cyclopentanol in *Pseudomonas* N.C.I.B. 9872 (Griffin, M. & Trudgill, P. W.) 595–603
Hyperprolinaemia, human, deficiency of proline oxidase activity in the liver of the PRO/Re-strain mouse and its possible relevance to (Blake, R. L.) 987–989
Hypertensives, human, metabolism of ^{14}C-labelled α-methyldopa in (Au, W. Y. W., Dring, L. G., Grahame-Smith, D. G., Isaac, P. & Williams, R. T.) 1–10
Hypophysis, mouse, measurement of the concentration of L-asparagine in, by a radiometric technique (Cooney, D. A. & Milman, H. A.) 953–960

Hypoxanthine, behaviour of adenine nucleotides and, during the release reaction of human platelets induced by adenosine diphosphate and by adrenaline (Holmsen, H., Day, H. J. & Setkowsky, C. A.) 67–82
Hypoxanthine, incorporation of, into purine ribonucleotides by mouse brain preparations *in vitro* (Wong, P. C. L. & Henderson, J. F.) 1085–1094

Inhibitor constants, graphical determination of Michaelis constants and, of enzymes (Dixon, M.) 197–202
Insulin, effect of, on the activity of pyruvate dehydrogenase in rat epididymal adipose tissue (Martin, B. R., Denton, R. M., Pask, H. T. & Randle, P. J.) 763–773
Insulin, effect of organic mercurials on the release of, by micro-dissected islets of Langerhans from obese–hyperglycaemic mouse pancreas (Bloom, G. D., Hellman, B., Idahl, L.-Å., Lernmark, Å., Sehlin, J. & Täljedal, I.-B.) 241–254
Insulin, evidence that hormones, but not glucose, may mediate the secretion of, via effects on the adenylate cyclase activity of mouse pancreas islets of Langerhans (Davis, B. & Lazarus, N. R.) 373–379
Insulin, interactions of corticosterone, prolactin and, in promoting the biosynthesis of milk fat by mammary-gland explants from pregnant rabbits (Forsyth, I. A., Strong, C. R. & Dils, R.) 929–935
Insulin, possible role of adenosine 3′:5′-cyclic monophosphate phosphodiesterase in the regulation of the release of, by guinea-pig pancreas islets of Langerhans (Sams, D. J. & Montague, W.) 945–952
Inulin, mode of action of dandelion root β-fructofuranosidases on (Rutherford, P. P. & Deacon, A. C.) 511–512
Invertase, *see* β-Fructofuranosidase
Ipomoea batatas, *see* Sweet potato
Iron, determination of the hyperfine field of, in Mössbauer spectra of rubredoxins from *Chloropseudomonas ethylica* and *Clostridium pasteurianum* (Rao, K. K., Evans, M. C. W., Cammack, R., Hall, D. O., Thompson, C. L., Jackson, P. J. & Johnson, C. E.) 1063–1070
Iron, prenatal and postnatal changes in the content of, in rat liver (Linder, M. C., Moor, J. R., Scott, L. E. & Munro, H. N.) 455–462
Iron–sulphur proteins (rubredoxins), determination of the hyperfine field of the iron in Mössbauer spectra of, from *Chloropseudomonas ethylica* and *Clostridium pasteurianum* (Rao, K. K., Evans, M. C. W., Cammack, R., Hall, D. O., Thompson, C. L., Jackson, P. J. & Johnson, C. E.) 1063–1070
Islets of Langerhans, micro-dissected, effects of organic mercurials on insulin release by and glucose transport, glucose oxidation, membrane permeability and ultrastructure in, from obese–hyperglycaemic mouse pancreas (Bloom, G. D., Hellman, B., Idahl, L.-Å., Lernmark, Å., Sehlin, J. & Täljedal, I.-B.) 241–254
Islets of Langerhans, pancreas, guinea-pig, properties of adenosine 3′:5′-cyclic monophosphate phosphodiesterase from (Sams, D. J. & Montague, W.) 945–952
Islets of Langerhans, pancreas, mammalian, purification and properties of adenosine 3′:5′-cyclic monophosphate-dependent protein phosphokinase from (Montague, W. & Howell, S. L.) 551–560
Islets of Langerhans, pancreas, mouse, effects of glucose and hormones on the activity of adenylate cyclase from (Davies, B. & Lazarus, N. R.) 373–379
Isocitrate dehydrogenase, baker's-yeast, anomalous behaviour of, during isoelectric focusing (Illingworth, J. A.) 1125–1130
Isocitrate dehydrogenase, nicotinamide-adenine dinucleotide phosphate-linked, purification and comparison of the properties of isoenzymes of, from rat heart and liver (Islam, M., Bell, J. L. & Baron, D. N.) 1003–1011
Isocitrate dehydrogenase, purification of, from baker's yeast (Illingworth, J. A.) 1119–1124
Isoleucyltyrosine, reaction of glucose with (Dixon, H. B. F.) 203–208
Isosafrole, effects of safrole and, on *N*- and ring-hydroxylation of 2-acetamidofluorene by the rat and hamster (Lotlikar, P. D. & Wasserman, M. B.) 937–943
Isowillardiine, biosynthesis of willardiine and, in germinating pea seeds and seedlings (Ashworth, T. S., Brown, E. G. & Roberts, F. M.) 897–905

Ketone bodies, measurements of the uptake of, and other metabolites from the blood by lactating rat mammary gland (Hawkins, R. A. & Williamson, D. H.) 1171–1173
Kidney cortex, rat, transport and metabolism of galactose in slices of (McNamara, P. D. & Segal, S.) 1109–1118
Kidney, guinea-pig, activity of the potassium ion-stimulated and sodium ion-dependent adenosine diphosphate–adenosine triphosphate exchange reaction in a microsomal fraction from (Banerjee, S. P. & Wong, S. M. E.) 775–779
Kidney, rat, changes in the activities of some enzymes in, during development (Hauser, C. A., Lockwood, E. A. & Bailey, E.) 21P–22P
Kidney, rat, characterization of plasma membranes prepared from, by zonal centrifugation (Price, R. G., Taylor, D. G. & Robinson, D.) 919–928
Kidney, rat, content and composition of the phospholipids of glomerular basement membrane of, in experimental nephrosis (Fung, K. & K. Kalant, N.) 733–741
Kinetin, effects of, on the biosynthesis of protein, nucleic acids and starch in duckweed (McCombs, P. J. A. & Ralph, R. K.) 403–417

L(+)-Lactate dehydrogenase, purification and properties of, from potato tubers (Davies, D. D. & Davies, S.) 831–839
Lactose, induction by human chorionic gonadotrophin of the biosynthesis of, in rat mammary gland (Kuhn, N. J.) 495–496
Lens, human, conformational changes in the proteins of, in cataract (Harding, J. J.) 97–100
Lens, ox, role of respiration in the energy metabolism of (Trayhurn, P. & van Heyningen, R.) 507–509
Leucine aminopeptidase, localization of, in the plasma membranes of rat kidney (Price, R. G., Taylor, D. G. & Robinson, D.) 919–928
Leucine, effect of a low-protein diet on the incorporation of, into serum lipoproteins in the rat (Seakins, A. & Waterlow, J. C.) 793–795
Light, dependence on, of the biosynthesis of inorganic pyrophosphate by *Rhodospirillum rubrum* chromatophores (Guillory, R. J. & Fisher, R. R.) 471–481

Light, flavin mononucleotide-sensitized oxidation of glyoxylation in Good's buffers in the presence of (Halliwell, B. & Butt, V. S.) 1157–1158
Light, non-enzymic decarboxylation of oxalate catalysed by flavins in the presence of (Halliwell, B.) 497–498
Linoleate, enzymic conversion of, into 9-(nona-1′,3′-dienoxy)non-8-enoate by homogenates of potato tubers (Galliard, T. & Phillips, D. R.) 743–753
Lipase, clearing-factor, activities of, in heart muscle and epididymal adipose tissue of obese–hyperglycaemic mice (Enser, M.) 447–453
Lipids, comparative study of the proteins and, of the plasma membranes and the smooth and the rough endoplasmic-reticulum membranes from rat liver (Morin, F., Tay, S. & Simpkins, H.) 781–788
Lipids, effects of glucose, non-esterified fatty acids and depletion of, on metabolism *in vitro* in brown adipose tissue from newborn rabbits (Knight, B. L.) 1175–1177
Lipids, structure of a glycerylphosphoryldiglucosyl diglyceride from, of *Acholeplasma laidlawii* B (Shaw, N., Smith, P. F. & Verheij, H. M.) 167–173
Lipogenesis, effect of weaning rats on to a high-sucrose diet on the activities of some liver enzymes involved in (Webb, J. R. & Bailey, E.) 21P
Lipogenesis, interactions of insulin, corticosterone and prolactin in the promotion of, by mammary-gland explants from pregnant rabbits (Forsyth, I. A., Strong, C. R. & Dils, R.) 929–935
Lipoprotein lipase, *see* Lipase, clearing-factor
Lipoproteins, serum, effect of a low-protein diet on the incorporation of amino acids into, in the rat (Seakins, A. & Waterlow, J. C.) 793–795
Liposomes, β-fructofuranosidase-containing, lysosomal localization of, after injection into rats and some implications in the treatment of genetic disorders (Gregoriadis, G. & Ryman, B. E.) 123–133
Liver disease, cholestatic, human, identification of unsaturated monohydroxy bile acids produced in (Murphy, G. M., Jansen, F. H. & Billing, B. H.) 491–494
Liver, effect of a low-protein diet on the incorporation of amino acids into serum lipoproteins and into proteins of, in the rat (Seakins, A. & Waterlow, J. C.) 793–795
Liver, fatty acid synthetase activities in the epididymal adipose tissue and, of rats fed with various carbohydrates (Bruckdorfer, K. R., Khan, I. H. & Yudkin, J.) 439–446
Liver, localization of β-fructofuranosidase-containing liposomes in lysosomes of, after injection into rats and some implications in the treatment of genetic disorders (Gregoriadis, G. & Ryman, B. E.) 123–133
Liver, mouse, binding of ribosomal subunits to endoplasmic-reticulum membranes from (Rolleston, F. S.) 721–731
Liver, mouse, inhibition of the deoxyribonucleic acid-dependent ribonucleic acid polymerases of, *in vivo* by the exotoxin of *Bacillus thuringiensis* in comparison with the effects of α-amanitin and cordycepin (Smuckler, E. A. & Hadjiolov, A. A.) 153–166
Liver, mouse, mechanism of the biosynthesis of thio-β-D-glucuronides by preparations of (Dutton, G. J. & Illing, H. P. A.) 539–550
Liver, mouse (PRO/Re-strain), deficiency of proline oxidase activity in, and its possible relevance to human hyperprolinaemia (Blake, R. L.) 987–989
Liver, ox, role of histidine residues in glutamate dehydrogenase from (Tudball, N., Bailey-Wood, R. & Thomas, P.) 419–425
Liver, ox, subunit structure and reactivity of the thiol groups of uridine diphosphate glucose dehydrogenase from (Gainey, P. A., Pestell, T. C. & Phelps, C. F.) 821–830
Liver, perfused, isolated, biosynthesis of glycogen in, of the starved rat (Hems, D. A., Whitton, P. D. & Taylor, E. A.) 529–538
Liver, protein biosynthesis by cell-free fractions obtained from, of rats injected with cholesteryl 14-methylhexadecanoate (Komárková, E. & Hradec, J.) 367–372
Liver, rat, alcoholysis of the endogenous phosphate esters in, after the administration of large doses of ethanol (Tomaszewski, M. & Buchowicz, J.) 183–186
Liver, rat and hamster, effects of pretreatment with safrole and isosafrole on the *N*- and ring-hydroxylation of 2-acetamidofluorene by microsomal preparations from (Lotlikar, P. D. & Wasserman, M. B.) 937–943
Liver, rat, assay and properties of the digitonin-activated bilirubin uridine diphosphate glucuronyltransferase activity of preparations of (Heirwegh, K. P. M., Van de Vijver, M. & Fevery, J.) 605–618
Liver, rat, biochemical heterogeneity of mitochondria from, separated by rate zonal centrifugation (Wilson, M. A. & Cascarano, J.) 209–218
Liver, rat, catalysis by diphenyleneiodonium of the exchange of anions and hydroxyl ions across the inner membrane of mitochondria from, and its effects on oxygen uptake (Holland, P. C. & Sherratt, H. S. A.) 39–54
Liver, rat, comparative study of the molecular structures of the plasma membranes and the smooth and the rough endoplasmic-reticulum membranes from (Morin, F., Tay, S. & Simpkins, H.) 781–788
Liver, rat, differences in the patterns of methylation of the base residues of ribonucleic acid from, after reaction *in vivo* with methyl methanesulphonate and *NN*-dimethylnitrosamine (O'Connor, P. J., Capps, M. J., Craig, A. W., Lawley, P. D. & Shah, S. A.) 519–528
Liver, rat, effect of the administration of hexachlorobenzene on haem biosynthesis in (Rajamanickam, C., Amrutavalli, J., Rao, M. R. S. & Padmanaban, G.) 381–387
Liver, rat, effects of exogenous 5-aminolaevulinate on the concentrations of haem and cytochromes in (Druyan, R. & Kelly, A.) 1095–1099
Liver, rat, enzymic conversion of cholesta-7,9-dien-3β-ol into cholesta-8,14-dien-3β-ol by microsomal fraction from (Akhtar, M., Freeman, C. W., Rahimtula, A. D. & Wilton, D. C.) 225–229
Liver, rat, enzymic transfer of glucose and xylose from uridine diphosphate glucose and uridine diphosphate xylose to bilirubin by untreated and digitonin-activated preparations of (Fevery, J., Leroy, P. & Heirwegh, K. P. M.) 619–633
Liver, rat, formation of inorganic mercury and benzene from phenylmercuric acetate by subcellular fractions of (Daniel, J. W., Gage, J. C. & Lefevre, P. A.) 961–967

Liver, rat, inactivation of tyrosine aminotransferase in neutral homogenates and slices of (Auricchio, F., Mollica, L. & Liguori, A.) 1131–1138
Liver, rat, inhibition by a macromolecular factor from, of the action of thrombin on fibrinogen (Flengsrud, R., Østerud, B. & Prydz, H.) 83–89
Liver, rat, modification by calcium ions of the translocation of adenine nucleotides in mitochondria from (Spencer, T. & Bygrave, F. L.) 355–365
Liver, rat, normal and regenerating, perfused, isolated, conversion of orotate into uridine 5′-monophosphate by (Fausto, N.) 811–820
Liver, rat, partial and exchange reactions of microsomal palmitoyl-coenzyme A synthetase from (Bar-Tana, J., Rose, G. & Shapiro, B.) 1101–1107
Liver, rat, perfused, isolated, effects of amino acids on the biosynthesis of serum albumin by (Kelman, L., Saunders, S. J., Wicht, S., Frith, L., Corrigall, A., Kirsch, R. E. & Terblanche, J.) 805–809
Liver, rat, prenatal and postnatal changes in the content and species of ferritin in (Linder, M. C., Moor, J. R., Scott, L. E. & Munro, H. N.) 455–462
Liver, rat, purification and comparison of the properties of isoenzymes of nicotinamide–adenine dinucleotide phosphate-linked isocitrate dehydrogenase from rat heart and (Islam, M., Bell, J. L. & Baron, D. N.) 1003–1011
Liver, rat, regenerating, uptake of amino acids and nucleic acid precursors by (Ord, M. G. & Stocken, L. A.) 175–181
Liver, rat, relationship of the transport of sodium and potassium ions to the respiration and adenine nucleotide content of the slices of, treated with inhibitors of respiration (van Rossum, G. D. V.) 427–438
Liver, rat, specific inhibition by 2-bromopalmitate and its coenzyme A and carnitine esters of fatty acid oxidation by mitochondria from (Chase, J. F. A. & Tubbs, P. K.) 55–65
Liver, rat, stabilization of gluconeogenesis in slices of, by calcium ions and by manganous ions (Roobal, A. & Alleyne, G. A. O.) 231–239
Liver, rat, structures of the bilirubin conjugates biosynthesized *in vitro* from bilirubin and uridine diphosphate glucuronic acid, uridine diphosphate glucose and uridine diphosphate xylose by untreated and digitonin-activated preparations of (Fevery, J., Leroy, P., Van de Vijver, M. & Heirwegh, K. P. M.) 635–644
Loligo vulgaris, *see* Squid
Lymphocytes, human, properties of histone phosphatase and cyclic-nucleotide-stimulated protein kinase from (Murray, A. W., Froscio, M. & Kemp, B. E.) 995–1002
[^{3}H]Lysine, uptake of, and other amino acids by regenerating rat liver (Ord, M. G. & Stocken, L. A.) 175–181
Lysosomes, brain, effect of asphyxia on the activities of acid hydrolases of, of the five-day-old rat (Adlard, B. P. F. & De Souza, S. W.) 1079–1084
Lysosomes, inactivation by cathepsins of, of tyrosine aminotransferase in neutral homogenates of rat liver (Auricchio, F., Mollica, L. & Liguori, A.) 1131–1138
Lysosomes, localization of β-fructofuranosidase-containing liposomes in, after injection into rats and some implications in the treatment of genetic disorders (Gregoriadis, G. & Ryman, B. E.) 123–133
Lysosomes, retarding effect of calcium ions and of manganous ions on the release of enzymes from, of rat liver slices (Roobol, A. & Alleyne, G. A. O.) 231–239

Mammary gland, interactions of insulin, corticosterone and prolactin in promoting the biosynthesis of milk fat by explants of, from pregnant rabbits (Forsyth, I. A., Strong, C. R. & Dils, R.) 929–935
Mammary gland, rat, induction by human chorionic gonadotrophin of the biosynthesis of lactose in (Kuhn, N. J.) 495–496
Mammary gland, rat, lactating, measurements of the uptake of metabolites from the blood by (Hawkins, R. A. & Williamson, D. H.) 1171–1173
Manganous ions, stabilization by, of gluconeogenesis in rat liver slices (Roobol, A. & Alleyne, G. A. O.) 231–239
Membrane, basement, glomerular, kidney, rat, content and composition of the phospholipids of, in experimental nephrosis (Fung, K. K. & Kalant, N.) 733–741
Membrane, erythrocyte, human, separation and properties of the major proteins of (Tanner, M. J. A. & Boxer, D. H.) 333–347
Membrane fractions, mesosomal, isolation and properties of, from *Micrococcus lysodeikticus* N.C.T.C. 2665 (Owen, P. & Freer, J. H.) 907–917
Membrane, inner, mitochondrial, liver, rat, catalysis by diphenyleneiodonium of the exchange of anions and hydroxyl ions across (Holland, P. C. & Sherratt, H. S. A.) 39–54
Membrane particles, light-dependent biosynthesis of inorganic pyrophosphate by, from *Rhodospirillum rubrum* (Guillory, R. J. & Fisher, R. R.) 471–481
Membranes, chromaffin-granule, adrenal-gland-medulla, ox, identification of dopamine β-hydroxylase as a major constituent of the proteins of (Hörtnagl, H., Winkler, H. & Lochs, H.) 187–195
Membranes, effect of organic mercurials on the permeability of, in micro-dissected islets of Langerhans from obese–hyperglycaemic mouse pancreas (Bloom, G. D., Hellman, B., Idahl, L.-Å., Lernmark, Å., Sehlin, J. & Täljedal, I.-B.) 241–254
Membranes, endoplasmic-reticulum, liver, mouse, binding of ribosomal subunits to (Rolleston, F. S.) 721–731
Membranes, endoplasmic-reticulum, smooth and rough, comparative study of the molecular structures of the plasma membranes and, from rat liver (Morin, F., Tay, S. & Simpkins, H.) 781–788
Membranes, plasma, *see* Plasma membranes
Mercurials, organic, effects of, on insulin release by and glucose transport, glucose oxidation, membrane permeability and ultrastructure in micro-dissected islets of Langerhans from obese–hyperglycaemic mouse pancreas (Bloom, G. D., Hellman, B., Idahl, L.-Å., Lernmark, Å., Sehlin, J. & Täljedal, I.-B.) 241–254
Mercury, inorganic, formation of benzene and, from phenylmercuric acetate by subcellular fractions of rat liver (Daniel, J. W., Gage, J. C. & Lefevre, P. A.) 961–967
Mesosomes, isolation and properties of membrane fractions of, from *Micrococcus lysodeikticus* N.C.T.C. 2665 (Owen, P. & Freer, J. H.) 907–917

[^{14}C]Methamphetamine, biliary excretion of metabolites of, in the rat (Caldwell, J., Dring, L. G. & Williams, R. T.) 25–29

[^{14}C]Methamphetamine, metabolism of, in man, the guinea pig and the rat (Caldwell, J., Dring, L. G. & Williams, R. T.) 11–22

L-Methionine, electrogenic sodium pump as a possible factor leading to the concentration of, by mouse ascites-tumour cells with reversed sodium ion concentration gradients (Gibb, L. E. & Eddy, A. A.) 979–981

Methionine residue, identification of, as the *N*-terminal residue of the subunits of ox liver uridine diphosphate glucose dehydrogenase (Gainey, P. A., Pestell, T. C. & Phelps, C. F.) 821–830

Methyl methanesulphonate, differences in the patterns of methylation of the base residues of rat liver ribosomal ribonucleic acid after reaction *in vivo* with *NN*-dimethylnitrosamine and (O'Connor, P. J., Capps, M. J., Craig, A. W., Lawley, P. D. & Shah, S. A.) 519–528

2-Methylamino-1-phenyl[^{14}C]propane ([^{14}C]methamphetamine), biliary excretion of metabolites of, in the rat (Caldwell, J., Dring, L. G. & Williams, R. T.) 25–29

2-Methylamino-1-phenyl[^{14}C]propane ([^{14}C]methamphetamine), metabolism of, in man, the guinea pig and the rat (Caldwell, J., Dring, L. G. & Williams, R. T.) 11–22

α-Methyldopa, ^{14}C-labelled, metabolism of, in normal and hypertensive human subjects (Au, W. Y. W., Dring, L. G., Grahame-Smith, D. G., Isaac, P. & Williams, R. T.) 1–10

Michaelis constants, graphical determination of inhibitor constants and, of enzymes (Dixon, M.) 197–202

Micrococcus lysodeikticus N.C.T.C. 2665, isolation and properties of mesosomal membrane fractions from (Owen, P. & Freer, J. H.) 907–917

Microcystis flos-aquae, spectroscopic characterization of ferredoxin from (Rao, K. K., Smith, R. V., Cammack, R., Evans, M. C. W., Hall, D. O. & Johnson, C. E.) 1159–1162

Microsomal fraction, kidney, guinea-pig, activity of the potassium ion-stimulated and sodium ion-dependent adenosine diphosphate–adenosine triphosphate exchange reaction in (Banerjee, S. P. & Wong, S. M. E.) 775–779

Microsomal fraction, liver, rat, assay and properties of the digitonin-activated bilirubin uridine diphosphate glucuronyltransferase activity of (Heirwegh, K. P. M., Van de Vijver, M. &. Fevery, J.) 605–618

Microsomal fraction, liver, rat, effect of the administration of hexachlorobenzene on the cytochrome *P*-450 content of (Rajamanickam, C., Amrutavalli, J., Rao, M. R. S. & Padmanaban, G.) 381–387

Microsomal fraction, liver, rat, effects of exogenous 5-aminolaevulinate on the concentrations of haem and cytochromes in (Druyan, R. & Kelly, A.) 1095–1099

Microsomal fraction, liver, rat, effects of protein deficiency on uridine diphosphate glucuronyltransferase activity and phospholipid composition of (Graham, A. B., Wood, G. C. & Woodcock, B. G.) 22P

Microsomal fraction, liver, rat, enzymic conversion of cholesta-7,9-dien-3β-ol into cholesta-8,14-dien-3β-ol by (Akhtar, M., Freeman, C. W., Rahimtula, A. D. & Wilton, D. C.) 225–229

Microsomal fraction, liver, rat, enzymic transfer of glucose and xylose from uridine diphosphate glucose and uridine diphosphate xylose to bilirubin by untreated and digitonin-activated preparations of (Fevery, J., Leroy, P. & Heirwegh, K. P. M.) 619–633

Microsomal fraction, liver, rat, partial and exchange reactions of palmitoyl-coenzyme A synthetase from (Bar-Tana, J., Rose, G. & Shapiro, B.) 1101–1107

Microsomal fraction, liver, rat, structures of the bilirubin conjugates biosynthesized *in vitro* from bilirubin and uridine diphosphate glucuronic acid, uridine diphosphate glucose and uridine diphosphate xylose by untreated and digitonin-activated preparations of (Fevery, J., Leroy, P., Van de Vijver, M. & Heirwegh, K. P. M.) 635–644

Microsomal preparations, liver, rat and hamster, effects of pretreatment with safrole and isosafrole on the *N*- and ring-hydroxylation of 2-acetamidofluorene by (Lotlikar, P. D. & Wasserman, M. B.) 937–943

Milk fat, interactions of insulin, corticosterone and prolactin in promoting the biosynthesis of, by mammary-gland explants from pregnant rabbits (Forsyth, I. A., Strong, C. R. & Dils, R.) 929–935

Mitochondria, fat-cell, epididymal, rat, isolated, mechanisms regulating the activity of pyruvate dehydrogenase in (Martin, B. R., Denton, R. M., Pask, H. T. & Randle, P. J.) 763–773

Mitochondria, giant, presence of, in iron- or copper-deficient *Candida utilis* (Davison, M. J., Downie, J. A. & Garland, P. B.) 46P–47P

Mitochondria, liver, rat, biochemical heterogeneity of, separated by rate zonal centrifugation (Wilson, M. A. & Cascarano, J.) 209–218

Mitochondria, liver, rat, catalysis by diphenyleneiodonium of the exchange of anions and hydroxyl ions across the inner membrane of, and its effects on oxygen uptake (Holland, P. C. & Sherratt, H. S. A.) 39–54

Mitochondria, liver, rat, lack of effect of oxogenous 5-aminolaevulinate on the concentrations of cytochromes in (Druyan, R. & Kelly, A.) 1095–1099

Mitochondria, liver, rat, modification by calcium ions of the translocation of adenine nucleotides in (Spencer, T. & Bygrave, F. L.) 355–365

Mitochondria, liver, rat, proton translocation by, with quinones as terminal acceptors (Lawford, H. G. & Garland, P. B.) 47P–48P

Mitochondria, liver, rat, specific inhibition by 2-bromopalmitate and its coenzyme A and carnitine esters of fatty acid oxidation by (Chase, J. F. A. & Tubbs, P. K.) 55–65

Mitochondria, turnip, isolated, inhibition of electron transport in, by inhibitors of protein biosynthesis (Moore, A. L. & Wilson, S. B.) 18P

Monohydroxy bile acids, unsaturated, identification of, produced in human cholestatic liver disease (Murphy, G. M., Jansen, F. H. & Billing, B. H.) 491–494

Monohydroxyacetone phosphate, interaction of, with chicken breast-muscle triose phosphate isomerase (Putman, S. J., Coulson, A. F. W., Farley, I. R. T., Riddleston, B. & Knowles, J. R.) 301–310

Morphine, effects of acute and chronic treatment with, and of morphine withdrawal on metabolism in rat brain *in vivo* (Miller, A. L., Hawkins, R. A., Harris, R. L. & Veech, R. L.) 463–469

Morris hepatomas 5123D and 7800, rat, slow-growing, concentrations of polyamines in (Cavia, E. & Webb, T. E.) 223–224
Mössbauer spectra, determination of the hyperfine field of the iron in, of rubredoxins from *Chloropseudomonas ethylica* and *Clostridium pasteurianum* (Rao, K. K., Evans, M. C. W., Cammack, R., Hall, D. O., Thompson, C. L., Jackson, P. J. & Johnson, C. E.) 1063–1070
Mung bean, *see* Bean, mung
Muscle, heart, clearing-factor lipase activities in epididymal adipose tissue and, of obese–hyperglycaemic mice (Enser, M.) 447–453
Muscle, skeletal, chicken, pH-dependence of the reaction catalysed by triose phosphate isomerase from (Plaut, B. & Knowles, J. R.) 311–320
Muscle, skeletal, chicken, purification, specificity and kinetics of triose phosphate isomerase from (Putman, S. J., Coulson, A. F. W., Farley, I. R. T., Riddleston, B. & Knowles, J. R.) 301–310
Muscle, skeletal, chicken, reaction of bromohydroxyacetone phosphate with a unique glutamic acid residue and the migration of the label to a tyrosine residue of triose phosphate isomerase from (de la Mare, S., Coulson, A. F. W., Knowles, J. R., Priddle, J. D. & Offord, R. E.) 321–331
Muscle, skeletal, ox, assessment of a method for the determination of adenosine 3′:5′-cyclic monophosphate in cerebral-cortex preparations by saturation analysis with a binding protein from (Weller, M., Rodnight, R. & Carrera, D.) 113–121
Mycoplasma laidlawii, *see Acholeplasma laidlawii*

Nephrosis, experimental, content and composition of the phospholipids of rat kidney glomerular basement membrane in (Fung, K. K. & Kalant, N.) 733–741
Neuraminic acid residues, *O*-acetylated, acid and enzymic hydrolysis of, of rabbit Tamm–Horsfall glycoprotein (Neuberger, A. & Ratcliffe, W. A.) 683–693
Neuraminidase, hydrolysis by, of *O*-acetylated sialic acid residues of rabbit Tamm–Horsfall glycoprotein (Neuberger, A. & Ratcliffe, W. A.) 683–693
Neurons, ribonucleic acid polymerase activities in nuclei from astrocytes, oligodendrocytes and, from rat brain (Austoker, J., Cox, D. & Mathias, A. P.) 1139–1155
Neurospora crassa, regulatory function of δ-aminolaevulinate dehydratase in the haem-biosynthetic pathway in (Muthukrishnan, S., Malathi, K. & Padmanaban, G.) 31–37
Neurotransmitters, false, formation of, as metabolites of amphetamine in man (Caldwell, J., Dring, L. G. & Williams, R. T.) 23–24
Neurotransmitters, false, formation of, as metabolites of methamphetamine in man, the guinea pig and the rat (Caldwell, J., Dring, L. G. & Williams, R. T.) 11–22
Nicotinamide–adenine dinucleotide glycohydrolase, heat-stable, partial purification and properties of, and of an inhibitory protein from *Pseudomonas putida* KB1 (Mather, I. H. & Knight, M.) 141–152
Nicotinamide–adenine dinucleotide (reduced) dehydrogenase, concentrations of cytochromes and activities of α-glycerophosphate dehydrogenase, succinate dehydrogenase and, in populations of rat liver mitochondria separated by rate zonal centrifugation (Wilson, M. A. & Cascerano, J.) 209–218
Nicotinamide–adenine dinucleotide, relationship between the redox state of, and metabolism in spermatozoa from various species (Brooks, D. E. & Mann, T.) 1023–1034
Nicotinate oxidase, association of, with an electron-transport chain containing cytochrome *o* and cytochrome *c* peroxidase as terminal oxidases in *Pseudomonas ovalis* Chester (Jones, M. V. & Hughes, D. E.) 755–761
9-(Nona-1′,3′-dienoxy)non-8-enoate, enzymic conversion of linoleate into, by homogenates of potato tubers (Galliard, T. & Phillips, D. R.) 743–753
Norephedrines, formation of, as metabolites of amphetamine in man (Caldwell, J., Dring, L. G. & Williams, R. T.) 23–24
Nuclear preparations, prostate-gland, rat and dog, effects of steroid hormones on the ribonucleic acid polymerase activity of (Davies, P., Fahmy, A. R., Pierrepoint, C. G. & Griffiths, K.) 1167–1169
Nuclei, brain, rat, ribonucleic acid polymerase activities in the various classes of, fractionated by zonal centrifugation (Austoker, J., Cox, D. & Mathias, A. P.) 1139–1155
Nucleic acids, reactions of 'K'-region epoxides of polycyclic hydrocarbons with polyribonucleotides and (Grover, P. L. & Sims, P.) 41P
Nucleic acids, uptake of amino acids and precursors of, by regenerating rat liver (Ord, M. G. & Stocken, L. A.) 175–181
Nucleoprotein, modified procedure for the fractionation of histones from, from animal sources (Oliver, D., Sommer, K. R., Panyim, S., Spiker, S. & Chalkley, R.) 349–353
5′-Nucleotidase, localization of, in the plasma membranes of rat kidney (Price, R. G., Taylor, D. G. & Robinson, D.) 919–928
Nucleotides, cyclic, stimulation by, of the activity of protein kinase from human lymphocytes (Murray, A. W., Froscio, M. & Kemp, B. E.) 995–1002
Nucleotides, MS, formation of, in *Escherichia coli* inhibited by trimethoprim (Midgley, J. E. M.) 39P
Nylon, immobilization of enzymes on, and their use in automated analysis (Inman, D. J. & Hornby, W. E.) 255–262

Obituary notice: Sir Charles Harington (Neuberger, A.) 801–804
Oligodendrocytes, ribonucleic acid polymerase activities in nuclei from neurons, astrocytes and, from rat brain (Austoker, J., Cox, D. & Mathias, A. P.) 1139–1155
Oligosaccharides, structures of, formed by the action of *Claviceps purpurea* β-D-fructofuranosidase on sucrose (Dickerson, A. G.) 263–272
Ornithine decarboxylase, activity of, during kidney growth (Melvin, W. T. & Thomson, R. Y.) 48P
Ornithine decarboxylase, activity of, in two slow-growing rat hepatomas (Cavia, E. & Webb, T. E.) 223–224
Orotate, conversion of, into uridine 5′-monophosphate by isolated perfused normal and regenerating rat livers (Fausto, N.) 811–820
Orotate, incorporation of, into willardiine and isowillardiine by germinating pea seeds and seedlings (Ashworth, T. S., Brown, E. G. & Roberts, F. M.) 897–905

[^{3}H]Orotate, uptake of, by regenerating rat liver (Ord, M. G. & Stocken, L. A.) 175–181
Ovalbumin, physical properties of, after denaturation with sodium dodecyl sulphate and with guanidinium chloride and after subsequent partial renaturation (Holt, J. C. & Creeth, J. M.) 665–676
Oxalate, non-enzymic decarboxylation of, catalysed by flavins in the presence of light (Halliwell, B.) 497–498
α-Oxo acids, activity of potato tuber L(+)-lactate dehydrogenase towards (Davies, D. D. & Davies, S.) 831–839
Oxygen, effects of diphenyleneiodonium on the uptake of, by rat liver mitochondria (Holland, P. C. & Sherratt, H. S. A.) 39–54
Oxygen, kinetics of the binding of carbon monoxide and, to haemoglobin from *Gastrophilus intestinales* larvae (Phelps, C. F., Antonini, E., Brunori, M. & Kellett, G.) 891–896
Oxygen, relationship of the transport of sodium and potassium ions to the adenine nucleotide content of and uptake of, by rat liver slices treated with inhibitors of respiration (van Rossum, G. D. V.) 427–438

Palmitate, 2-bromo-, specific inhibition by, and its coenzyme A and carnitine esters of fatty acid oxidation by rat liver mitochondria (Chase, J. F. A. & Tubbs, P. K.) 55–65
Palmitoyl-coenzyme A synthetase, microsomal, liver, rat, partial and exchange reactions of (Bar-Tana, J., Rose, G. & Shapiro, B.) 1101–1107
Pancreas, guinea-pig, properties of adenosine 3′:5′-cyclic monophosphate phosphodiesterase from the islets of Langerhans of (Sams, D. J. & Montague, W.) 945–952
Pancreas, mammalian, purification and properties of adenosine 3′:5′-cyclic monophosphate-dependent protein phosphokinase from islets of Langerhans from (Montague, W. & Howell, S. L.) 551–560
Pancreas, mouse, effects of glucose and hormones on the activity of adenylate cyclase from islets of Langerhans from (Davies, B. & Lazarus, N. R.) 373–379
Pancreas, mouse, obese–hyperglycaemic, effects of organic mercurials on insulin release by and glucose transport, glucose oxidation, membrane permeability and ultrastructure in micro-dissected islets of Langerhans from (Bloom, G. D., Hellman, B., Idahl, L.-Å., Lernmark, Å., Sehlin, J. & Täljedal, I.-B.) 241–254
Pancreozymin, effect of, on the activity of adenylate cyclase from mouse pancreas islets of Langerhans (Davis, B. & Lazarus, N. R.) 373–379
Pea (*Pisum sativum*) seeds and seedlings, biosynthesis of willardiine and isowillardiine in (Ashworth, T. S., Brown, E. G. & Roberts, F. M.) 897–905
Pepsin, effects of treatment with, on the solubility, subunit composition and aggregation properties of chicken skin collagen (Bannister, D. W. & Burns, A. B.) 677–681
Peptidases, Sepharose-bound, complete amino acid analysis of peptides and proteins after hydrolysis by a mixture of (Bennett, H. P. J., Elliott, D. F., Evans, B. E., Lowry, P. J. & McMartin, C.) 695–701
Peptides, complete amino acid analysis of, after hydrolysis by a mixture of Sepharose-bound peptidases (Bennett, H. P. J., Elliott, D. F., Evans, B. E., Lowry, P. J. & McMartin, C.) 695–701
Peptides, reaction of glucose with (Dixon, H. B. F.) 203–208
pH, dependence on, of the reaction catalysed by chicken breast-muscle triose phosphate isomerase (Plaut, B. & Knowles, J. R.) 311–320
Phaseolus aureus, *see* Bean, mung
Phenol, urinary, excretion of conjugates of, as metabolites of phenylmercuric acetate in the rat (Daniel, J. W., Gage, J. C. & Lefevre, P. A.) 961–967
Phenylmercuric acetate, metabolism of, in the rat (Daniel, J. W., Gage, J. C. & Lefevre, P. A.) 961–967
Phosphatase, acid, lysosomal, effect of asphyxia on the activity of, in the brain of the five-day-old rat (Adlard, B. P. F. & De Souza, S. W.) 1079–1084
Phosphatase, alkaline, localization of, in the plasma membranes of rat kidney (Price, R. G., Taylor, D. G. & Robinson, D.) 919–928
Phosphatases, cation-dependence of the activity of, in bull spermatozoa (O'Donnell, J. M. & Ellory, J. C.) 45P–46P
Phosphate acetyltransferase, roles of univalent cations in the reaction catalysed by, from *Clostridium kluyveri* (Kyrtopoulos, S. A. & Satchell, D. P. N.) 1163–1166
Phosphate esters, endogenous, alcoholysis of, in the liver of rats treated with large doses of ethanol (Tomaszewski, M. & Buchowicz, J.) 183–186
Phosphate, inorganic, light-dependent biosynthesis of inorganic pyrophosphate from, by *Rhodospirillum rubrum* chromatophores (Guillory, R. J. & Fisher, R. R.) 471–481
Phosphate linkages, study of, in phosphomannan from the cell walls of *Saccharomyces cerevisiae* (Cawley, T. N., Harrington, M. G. & Letters, R.) 711–720
3-*sn*-Phosphatidylethanolamine, intestinal absorption of, in the rat (Harvey, M. S., Owen, J. S., Scott, G. H. & Billimoria, J. D.) 17P
Phosphoenolpyruvate carboxylase, maintenance of the activity of, in rat liver slices by calcium ions (Roobol, A. & Alleyne, G. A. O.) 231–239
Phospholipid, glucose-containing, structure of, from the lipids of *Acholeplasma laidlawii* B (Shaw, N., Smith, P. F. & Verheij, H. M.) 167–173
Phospholipid liposomes, β-fructofuranosidase-containing, lysosomal localization of, after injection into rats and some implications in the treatment of genetic disorders (Gregoriadis, G. & Ryman, B. E.) 123–133
Phospholipids, comparative studies of the proteins and, of the plasma membranes and the smooth and the rough endoplasmic-reticulum membranes from rat liver (Morin, F., Tay, S. & Simpkins, H.) 781–788
Phospholipids, content and composition of, of rat kidney glomerular basement membrane in experimental nephrosis (Fung, K. K. & Kalant, N.) 733–741
Phosphomannan, study of the phosphate linkages of, from the cell walls of *Saccharomyces cerevisiae* (Cawley, T. N., Harrington, M. G. & Letters, R.) 711–720
Phytosterols, observations on the alkylation mechanism involved in the formation of the side chains of, in *Trebouxia* sp. 213/3 (Goad, L. J., Knapp, F. F., Lenton, J. R. & Goodwin, T. W.) 219–222
Pisum sativum, *see* Pea
Pituitary gland, mouse, measurement of the concentration of L-asparagine in, by a radiometric technique (Cooney, D. A. & Milman, H. A.) 953–960

Plasma, concentration of cholesterol in, of obese–hyperglycaemic mice (Enser, M.) 447–453
Plasma, concentrations of triglycerides in, of rats fed with various carbohydrates (Bruckdorfer, K. R., Khan, I. H. & Yudkin, J.) 439–446
Plasma membranes, comparative study of the molecular structures of the smooth and the rough endoplasmic-reticulum membranes and, from rat liver (Morin, F., Tay, S. & Simpkins, H.) 781–788
Plasma membranes, kidney, rat, characterization of, prepared by zonal centrifugation (Price, R. G., Taylor, D. G. & Robinson, D.) 919–928
Plasma, spermatic-venous, identification of ^{3}H-labelled 16-unsaturated C_{19} steroids in, after the infusion of [7α-^{3}H]pregnenolone into the spermatic artery of the boar (Saat, Y. A., Gower, D. B., Harrison, F. A. & Heap, R. B.) 657–663
Platelets, human, behaviour of adenine nucleotides during the release action of, induced by adenosine diphosphate and by adrenaline (Holmsen, H., Day, H. J. & Setkowsky, C. A.) 67–82
Platelets, human, effect of 5-hydroxytryptamine on potassium ion exchange by, enriched in sialic acid (Michal, F., Born, G. V. R., Mester, L. & Szabados, L.) 977–978
Polyamines, concentrations of, in two slow-growing rat hepatomas (Cavia, E. & Webb, T. E.) 223–224
Polynucleotides, influence of amino acid supply on the metabolism of proteins and (Colloquium) 1P–6P
Polyoxin D, effect of, on morphogenesis in the toadstool *Coprinus cinereus* (Gooday, G. W.) 17P–18P
Polypeptides, possible use of fragments cleaved from proteins by cyanogen bromide for the semisynthesis of (Offord, R. E.) 499–501
Polysaccharides, sulphated, double-helical conformations of, and their potential biological function (Williamson, F. B.) 28P
Potassium ions, activity of the sodium ion-dependent adenosine diphosphate–triphosphate exchange reaction stimulated by, in a guinea-pig kidney microsomal fraction (Banerjee, S. P. & Wong, S. M. E.) 775–779
Potassium ions, effect of 5-hydroxytryptamine on the exchange of, by human platelets enriched in sialic acid (Michal, F., Born, G. V. R., Mester, L. & Szabados, L.) 977–978
Potassium ions, kinetics of the reaction catalysed by baker's-yeast pyruvate kinase activated by fructose 1,6-diphosphate and (Macfarlane, N. & Ainsworth, S.) 1035–1047
Potassium ions, relationship of the transport of sodium ions and, to the respiration and adenine nucleotide content of rat liver slices treated with inhibitors of respiration (van Rossum, G. D. V.) 427–438
Potato (*Solanum tuberosum*) tubers, enzymic conversion of linoleate into 9-(nona-1′,3′-dienoxy)non-8-enoate by homogenates of (Galliard, T. & Phillips, D. R.) 743–753
Potato (*Solanum tuberosum*) tubers, purification and properties of L(+)-lactate dehydrogenase from (Davies, D. D. & Davies, S.) 831–839
[7α-^{3}H]Pregnenolone (3β-hydroxy[7α-^{3}H]pregn-5-en-20-one), biosynthesis *in vivo* and excretion of ^{3}H-labelled 16-unsaturated C_{19} steroids as metabolites of, in the boar (Saat, Y. A., Gower, D. B., Harrison, F. A. & Heap, R. B.) 657–663
Prochymosin, *see* Prorennin
Prolactin, interactions of insulin, corticosterone and, in promoting the biosynthesis of milk fat by mammary-gland explants from pregnant rabbits (Forsyth, I. A., Strong, C. R. & Dils, R.) 929–935
Proline oxidase, deficiency of the activity of, in the liver of the PRO/Re-strain mouse and its possible relevance to human hyperprolinaemia (Blake, R. L.) 987–989
Pronase, study of the phosphate linkages of phosphomannan released from *Saccharomyces cerevisiae* cell walls by the action of (Cawley, T. N., Harrington, M. G. & Letters, R.) 711–720
Prorennin, fractionation and isolation of the multiple forms of, from calf stomach (Asato, N. & Rand, A. G., Jr.) 841–846
Prostate gland, human, activation by putrescine of the activity of *S*-adenosylmethionine decarboxylase from (Zappia, V., Carteni-Farina, M. & Della Pietra, G.) 703–709
Prostate gland, rat and dog, effects of steroid hormones on the ribonucleic acid polymerase activity of nuclear preparations from (Davies, P., Fahmy, A. R., Pierrepoint, C. G. & Griffiths, K.) 1167–1169
Protein, appraisal of techniques for the determination of the turnover of, *in vivo* (Garlick, P. J. & Millward, D. J.) 1P–2P
Protein, binding, assessment of a method for the determination of adenosine 3′:5′-cyclic monophosphate in cerebral-cortex preparations by saturation analysis with, from ox skeletal muscle (Weller, M., Rodnight, R. & Carrera, D.) 113–121
Protein, biosynthesis of, by cell-free fractions obtained from the liver of rats injected with cholesteryl 14-methylhexadecanoate (Komárková, E. & Hradec, J.) 367–372
Protein cyst coat, enzymically catalysed binding of amino acids to, of the ciliate *Colpoda steinii* (Tibbs, J.) 25P
Protein, effect of a diet low in, on the incorporation of amino acids into serum lipoproteins in the rat (Seakins, A. & Waterlow, J. C.) 793–795
Protein, effects of cytokinins on the biosynthesis of nucleic acids, starch and, in duckweed (McCombs, P. J. A. & Ralph, R. K.) 403–417
Protein, influence of amino acid supply on the biosynthesis of, by rat liver *in vitro* (Clemens, M. J.) 3P–5P
Protein, inhibitory, partial purification and properties of a heat-stable nicotinamide–adenine dinucleotide glycohydrolase and, from *Pseudomonas putida* KB1 (Mather, I. H. & Knight, M.) 141–152
Protein, insulin and the biosynthesis of, in the perfused rat heart (Chain, E. B. & Sender, P. M.) 13P–14P
Protein kinase, cyclic-nucleotide-stimulated, properties of histone phosphatase and, from human lymphocytes (Murray, A. W., Froscio, M. & Kemp, B. E.) 995–1002
Protein, pattern of the turnover of, in the whole animal and the effect of dietary variation (Millward, D. J. & Garlick, P. J.) 2P–3P
Protein phosphokinase, adenosine 3′:5′-cyclic monophosphate-dependent, purification and properties of, from mammalian pancreas islets of Langerhans (Montague, W. & Howell, S. L.) 551–560

Protein–polysaccharides, lysosomal enzymes and degradation of, of the human invertebral disc (Pearson, C. H., Happey, F., Naylor, A., Osborn, J. M. & Turner, R. L.) 44P–45P
Protein–polysaccharides, replacement of, in embryonic chick cartilage in organ culture after treatment with testicular hyaluronidase (Hardingham, T. E., Fitton-Jackson, S. & Muir, H.) 101–112
Proteins, comparative study of the lipids and, of the plasma membranes and the smooth and the rough endoplasmic-reticulum membranes from rat liver (Morin, F., Tay, S. & Simpkins, H.) 781–788
Proteins, complete amino acid analysis of, after hydrolysis by a mixture of Sepharose-bound peptidases (Bennett, H. P. J., Elliott, D. F., Evans, B. E., Lowry, P. J. & McMartin, C.) 695–701
Proteins, influence of amino acid supply on the metabolism of polynucleotides and (Colloquium) 1P–6P
Proteins, introduction of ^{15}N into, of the rat (Fürst, P., Josephson, B. & Philipson, B.) 12P
Proteins, iron–sulphur (rubredoxins), determination of the hyperfine field of the iron in Mössbauer spectra of, from *Chloropseudomonas ethylica* and *Clostridium pasteurianum* (Rao, K. K., Evans, M. C. W., Cammack, R., Hall, D. O., Thompson, C. L., Jackson, P. J. & Johnson, C. E.) 1063–1070
Proteins, lens, human, conformational changes in, in cataract (Harding, J. J.) 97–100
Proteins, liver, effect of a low-protein diet on the incorporation of amino acids into serum lipoproteins and into, in the rat (Seakins, A. & Waterlow, J. C.) 793–795
Proteins, major, separation and properties of, of the human erythrocyte membrane (Tanner, M. J. A. & Boxer, D. H.) 333–347
Proteins, membrane, identification of dopamine β-hydroxylase as a major constituent of, of chromaffin granules from ox adrenal-gland medulla (Hörtnagl, H., Winkler, H. & Lochs, H.) 187–195
Proteins, myocardial, turnover rates of, in the rat (Chain, E. B. & Sender, P. M.) 13P
Proteins, plasma, liver-produced, measurement of the biosynthesis of, with particular reference to dietary protein and amino acid supply (Hoffenberg, R.) 3P
Proteins, possible use of fragments cleaved from proteins by cyanogen bromide for the semisynthesis of (Offord, R. E.) 499–501
Proteins, unsuitability of ox serum albumin as a marker for the determination of molecular weights of, by electrophoresis in non-denaturing polyacrylamide gel (Barton, R. J.) 983–985
Proteoglycan, *see* Protein–polysaccharide
Pseudomonas N.C.I.B. 9872, metabolism of cyclopentanol by (Griffin, M. & Trudgill, P. W.) 595–603
Pseudomonas ovalis Chester, association of nicotinate oxidase with an electron-transport chain containing cytochrome *o* and cytochrome *c* peroxidase as terminal oxidases in (Jones, M. V. & Hughes, D. E.) 755–761
Pseudomonas putida KB1, partial purification and properties of a heat-stable nicotinamide–adenine dinucleotide glycohydrolase and of an inhibitory protein from (Mather, I. H. & Knight, M.) 141–152
Purine ribonucleotides, biosynthesis, interconversion and catabolism of, in mouse brain preparations *in vitro* (Wong, P. C. L. & Henderson, J. F.) 1085–1094
Putrescine, activation by, of the activity of *S*-adenosylmethionine decarboxylase from human prostate gland (Zappia, V., Carteni-Farina, M. & Della Pietra, G.) 703–709
Pyrimidine deoxyribonucleoside triphosphates, changes in the pool sizes of, of L5178Y cells after their exposure to methotrexate and 5-fluorouracil (Tattersall, M. H. N., Furness, M. E., Jackson, S. & Harrap, K. R.) 48P–49P
Pyrimidine nucleotides, conversion of orotate into, by isolated perfused normal and regenerating rat livers (Fausto, N.) 811–820
Pyrimidine nucleotides, enzymic aspects of the control of the biosynthesis of carbamoyl phosphate and its utilization in the pathways for the biosynthesis of arginine and of, in mung-bean seedlings (Ong, B. L. & Jackson, J. F.) 583–593
Pyrimidines, effects of, on the biosynthesis of willardiine and isowillardiine by germinating pea seeds and seedlings (Ashworth, T. S., Brown, E. G. & Roberts, F. M.) 897–905
Pyrophosphate, inorganic, light-dependent biosynthesis of, by *Rhodospirillum rubrum* chromatophores (Guillory, R. J. & Fisher, R. R.) 471–481
Pyruvate dehydrogenase, mechanisms regulating the activity of, in rat epididymal adipose tissue (Martin, B. R., Denton, R. M., Pask, H. T. & Randle, P. J.) 763–773
Pyruvate, effect of, on the activity of pyruvate dehydrogenase in rat epididymal adipose tissue (Martin, B. R., Denton, R. M., Pask, H. T. & Randle, P. J.) 763–773
Pyruvate, effect of, on the metabolism of galactose in rat kidney-cortex slices (McNamara, P. D. & Segal, S.) 1109–1118
Pyruvate kinase, baker's yeast, kinetics of the reaction catalysed by, activated by fructose 1,6-diphosphate (Macfarlane, N. & Ainsworth, S.) 1035–1047

Quinol, urinary excretion of conjugates of, as metabolites of phenylmercuric acetate in the rat (Daniel, J. W., Gage, J. C. & Lefevre, P. A.) 961–967

Rennin, fractionation and isolation of the multiple forms of the zymogen of, from calf stomach (Asato, N. & Rand, A. G., Jr.) 841–846
Respiration, relationship of the transport of sodium and potassium ions to the adenine nucleotide content and, of rat liver slices treated with inhibitors of respiration (van Rossum, G. D. V.) 427–438
Respiration, role of, in the energy metabolism of ox lens (Trayhurn, P. & van Heyningen, R.) 507–509
Reticulum, endoplasmic, liver, mouse, binding of ribosomal subunits to membranes of (Rolleston, F. S.) 721–731
Reticulum, endoplasmic, smooth and rough, comparative study of the molecular structures of the plasma membranes and the membranes of, from rat liver (Morin, F., Tay, S. & Simpkins, H.) 781–788
Rhodospirillum rubrum, light-dependent biosynthesis of inorganic pyrophosphate by chromatophores from (Guillory, R. J. & Fisher, R. R.) 471–481
Ribonucleic acid, brome-mosaic-virus, enzyme-mediated binding of tyrosine to (Hall, T. C., Shih, D. S. & Kaesberg, P.) 969–976

Ribonucleic acid, effects of cytokinins on the biosynthesis of starch, protein, deoxyribonucleic acid, and, in duckweed (McCombs, P. J. A. & Ralph, R. K.) 403–417
Ribonucleic acid, effects of trimethoprim on the biosynthesis of, in *Escherichia coli* (Smith, R. J.) 38P–39P
Ribonucleic acid, low-molecular-weight, effect of pseudorabies virus on the metabolism of, in BHK-C13 cells (Abrahams, J. C. & Hay, J.) 39P–40P
Ribonucleic acid polymerase, deoxyribonucleic acid-dependent, activity of, in the various classes of rat brain nuclei fractionated by zonal centrifugation (Austoker, J., Cox, D. & Mathias, A. P.) 1139–1155
Ribonucleic acid polymerase, deoxyribonucleic acid-dependent, effects of steroid hormones on the activity of, of rat and dog prostate-gland nuclear preparations (Davies, P., Fahmy, A. R., Pierrepoint, C. G. & Griffiths, K.) 1167–1169
Ribonucleic acid polymerase, deoxyribonucleic acid-dependent, variations in the activity of, in *Escherichia coli* K12 (M.R.E. 600) during growth (Abraham, K. A., Andersen, K. J. & Rognes, A.) 291–299
Ribonucleic acid polymerase, influence of diet on the activity of (Henderson, A. R.) 6P
Ribonucleic acid polymerases, deoxyribonucleic acid-dependent, liver, mouse, inhibition of, *in vivo* by the exotoxin of *Bacillus thuringiensis* in comparison with the effects of α-amanitin and cordycepin (Smuckler, E. A. & Hadjiolov, A. A.) 153–166
Ribonucleic acid, ribosomal, biosynthesis and function of, as influenced by amino acid supply and stress (Wannemacher, R. W., Jr.) 5P–6P
Ribonucleic acid, ribosomal, genes for (Ford, P. J.) 32P–33P
Ribonucleic acid, ribosomal, in evolution (Loening, U. E.) 35P
Ribonucleic acid, ribosomal, liver, rat, differences in the patterns of methylation of the base residues of, after reaction *in vivo* with methyl methanesulphonate and *NN*-dimethylnitrosamine (O'Connor, P. J., Capps, M. J., Craig, A. W., Lawley, P. D. & Shah, S. A.) 519–528
Ribonucleic acid, transfer, identification of the base residues of, methylated *in vitro* by cell-free extracts of adenovirus-18-induced hamster tumours (McFarlane, E. S.) 513–517
Ribonucleic acid (transfer) methylases, specificity of, from normal mouse colon and 1,2-dimethylhydrazine-induced colon tumours (Pegg, A. E.) 40P
Ribonucleic acid, uptake of amino acids and precursors of deoxyribonucleic acid and, by regenerating rat liver (Ord, M. G. & Stocken, L. A.) 175–181
Ribonucleic acids, ribosomal, precursor, properties of ribosomal ribonucleic acids and, in *Anacystis nidulans* (Szalay, A., Munsche, D., Wollgiehn, R. & Parthier, B.) 135–140
Ribonucleic acids, ribosomal, properties of ribosomal precursor ribonucleic acids and, in *Anacystis nidulans* (Szalay, A., Munsche, D., Wollgiehn, R. & Parthier, B.) 135–140
Ribosomal ribonucleic acid, *see* Ribonucleic acid, ribosomal
Ribosomal subunits, binding of, to mouse liver endoplasmic-reticulum membranes (Rolleston, F. S.) 721–731
Ribosomes, binding of, to mouse liver endoplasmic-reticulum membranes (Rolleston, F. S.) 721–731
Ribosomes, chemical studies on ribosomal ribonucleic acid and the formation of, in HeLa cells (Maden, B. E. H., Salim, M., Williamson, R. & Shepherd, J.) 30P
Ribosomes, electron-microscopic technique for measuring the profiles of, from heart muscle (Hearn, K., Gibson, K. & Harris, P.) 46P
Ribosomes, formation of, in yeast (Rozijn, T. H.) 33P–35P
Ribosomes, liver, distinctions between various functional states of, and different distributions of the ribosomes between these states in fed and in starved mice (Norman, M. R. & Gamulin, S.) 38P
Ribosomes, mitochondrial, electron microscopy of, isolated from the yeast *Saccharomyces cerevisiae* (Watson, K. & Green, A.) 36P–37P
Ribosomes, mitochondrial, isolation and characterization of, from higher plants (Leaver, C. J. & Harmey, M. A.) 37P–38P
Ribosomes, mitochondrial, isolation of, from the yeast *Saccharomyces cerevisiae* (Green, A. & Watson, K.) 36P
Ribosomes, protein biosynthesis by, obtained from the liver of rats injected with cholesteryl 14-methylhexadecanoate (Komárková, E. & Hradec, J.) 367–372
Ribosomes, regulation of the biosynthesis of (Perry, R. P.) 35P–36P
Ribosomes, ribosomal proteins and the assembly of, in eukaryotes (Warner, J. R., Kumar, A., Udem, S. A. & Wu, R. S.) 29P–30P
Ribosomes, 80S, ribosomal proteins of (Gould, H. J., Martini, O. H. W. & King, H. S. W.) 31P–32P
Ribosomes, structure and formation of, in eukaryotes (Symposium) 29P–36P
Ribosomes, 70S, structure and function of the ribosomal proteins of (Wittmann, H. G.) 30P–31P
Rose Bengal, inactivation of ox liver glutamate dehydrogenase by photo-oxidation of its histidine residues in the presence of (Tudball, N., Bailey-Wood, R. & Thomas, P.) 419–425
Rubredoxins, determination of the hyperfine field of the iron in Mössbauer spectra of, from *Chloropseudomonas ethylica* and *Clostridium pasteurianum* (Rao, K. K., Evans, M. C. W., Cammack, R., Hall, D. O., Thompson, C. L., Jackson, P. J. & Johnson, C. E.) 1063–1070
Rust fungus (*Ustilago sphaerogena*), amino acid sequence of cytochrome *c* from (Bitar, K. G., Vinogradov, S. N., Nolan C., Weiss, L. J. & Margoliash, E.) 561–569

Saccharomyces cerevisiae, anomalous behaviour of isocitrate dehydrogenase from, during isoelectric focusing (Illingworth, J. A.) 1125–1130
Saccharomyces cerevisiae, purification of isocitrate dehydrogenase from (Illingworth, J. A.) 1119–1124
Saccharomyces cerevisiae, study of the phosphate linkages in phosphomannan from the cell walls of (Cawley, T. N., Harrington, M. G. & Letters, R.) 711–720
Safrole, effects of isosafrole and, on *N*- and ring-hydroxylation of 2-acetamidofluorene by the rat and hamster (Lotlikar, P. D. & Wasserman, M. B.) 937–943

Sclerotan, degradation of, by enzymes from fungi parasitic on sclerotia of plant-pathogenic fungi (Bacon, J. S. D., Gordon, A. H. & Jones, D.) 27P–28P
Secretin, effect of, on the activity of adenylate cyclase from mouse pancreas islets of Langerhans (Davis, B. & Lazarus, N. R.) 373–379
Seedlings, pea, biosynthesis of willardiine and isowillardiine in (Ashworth, T. S., Brown, E. G. & Roberts, F. M.) 897–905
Seeds, pea, germinating, biosynthesis of willardiine and isowillardiine in (Ashworth, T. S., Brown, E. G. & Roberts, F. M.) 897–905
Seminal plasma, dependence on, of the redox state of nicotinamide–adenine dinucleotide in spermatozoa from various species (Brooks, D. E. & Mann, T.) 1023–1034
Sepharose, complete amino acid analysis of peptides and proteins after hydrolysis by a mixture of peptidases bound to (Bennett, H. P. J., Elliott, D. F., Evans, B. E., Lowry, P. J. & McMartin, C.) 695–701
Serine, incorporation of, into willardiine and isowillardiine by germinating pea seeds and seedlings (Ashworth, T. S., Brown, E. G. & Roberts, F. M.) 897–905
Serotonin, *see* 5-Hydroxytryptamine
Serum albumin, *see* Albumin, serum
Serum lipoproteins, *see* Lipoproteins, serum
Sialic acid, effect of 5-hydroxytryptamine on potassium ion exchange by human platelets enriched in (Michal, F., Born, G. V. R., Mester, L. & Szabados, L.) 977–978
Sialic acid residues, *O*-acetylated, acid and enzymic hydrolysis of, of rabbit Tamm–Horsfall glycoprotein (Neuberger, A. & Ratcliffe, W. A.) 683–693
Sialoglycoprotein, membrane, erythrocyte, isolation of, carrying the human blood-group-M,N antigen (Tanner, M. J. A. & Boxer, D. H.) 333–347
Skeletal muscle, *see* Muscle, skeletal
Skin, chicken, effects of treatment with pepsin on the solubility, subunit composition and aggregation properties of collagen from (Bannister, D. W. & Burns, A. B.) 677–681
Slug (*Arion ater*), mechanism of the biosynthesis of thio-β-D-glucosides by gut preparations from (Dutton, G. J. & Illing, H. P. A.) 539–550
Sodium dodecyl sulphate, physical properties of ovalbumin after denaturation with, and after subsequent partial renaturation (Holt, J. C. & Creeth, J. M.) 665–676
Sodium ions, activity of the adenosine diphosphate–adenosine triphosphate exchange reaction dependent on, and stimulated by potassium ions in a guinea-pig kidney microsomal fraction (Banerjee, S. P. & Wong, S. M. E.) 775–779
Sodium ions, effect of anoxia on the concentration of, in ox lens (Trayhurn, P. & van Heyningen, R.) 507–509
Sodium ions, electrogenic sodium pump as a possible factor leading to the concentration of amino acids by mouse ascites-tumour cells with reversed concentration gradients of (Gibb, L. E. & Eddy, A. A.) 979–981
Sodium ions, relationship of the transport of potassium ions and, to the respiration and adenine nucleotide content of rat liver slices treated with inhibitors of respiration (van Rossum, G. D. V.) 427–438
Solanum tuberosum, *see* Potato
Somatotrophin, *see* Growth hormone
Spermatozoa, relationship between the redox state of nicotinamide–adenine dinucleotide and metabolism in, from various species (Brooks, D. E. & Mann, T.) 1023–1034
Spermidine, concentrations of spermine and, in two slow-growing rat hepatomas (Cavia, E. & Webb, T. E.) 223–224
Spermine, concentrations of spermidine and, in two slow-growing rat hepatomas (Cavia, E. & Webb, T. E.) 223–224
Spirodela oligorrhiza, *see* Duckweed
Squid (*Loligo vulgaris*), reaction of acetyl-coenzyme A with choline acetyltransferase from the cerebral ganglion of (Prempeh, A. B. A., Prince, A. K. & Hide, E. G. J.) 991–994
Starch, effects of cytokinins on the biosynthesis of protein, nucleic acids and, in duckweed (McCombs, P. J. A. & Ralph, R. K.) 403–417
Starvation, effect of, on the biosynthesis of glycogen in isolated perfused rat liver (Hems, D. A., Whitton, P. D. & Taylor, E. A.) 529–538
Stearate, desaturation of, by sheep tissue microsomal preparations (Wahle, K. W. J. & Garton, G. A.) 15P–16P
Steroid hormones, effects of, on the ribonucleic acid polymerase activity of rat and dog prostate-gland nuclear preparations (Davies, P., Fahmy, A. R., Pierrepoint, C. G. & Griffiths, K.) 1167–1169
Steroids, application of a simple staining technique for, on thin-layer chromatograms (Jeffery, J.) 26P–27P
Steroids, C_{19}, 16-unsaturated, ^{3}H-labelled, biosynthesis *in vivo* and excretion of, as metabolites of [7α-^{3}H]-pregnenolone in the boar (Saat, Y. A., Gower, D. B., Harrison, F. A. & Heap, R. B.) 657–663
Sterols, observations on the mechanism of the alkylation of the side chains of, in *Trebouxia* sp. 213/3 (Goad, L. J., Knapp, F. F., Lenton, J. R. & Goodwin, T. W.) 219–222
Stomach, calf, fractionation and isolation of the multiple forms of prorennin from (Asato, N. & Rand, A. G., Jr.) 841–846
Succinate dehydrogenase, concentrations of cytochromes and activities of reduced nicotinamide–adenine dinucleotide dehydrogenase, α-glycerophosphate dehydrogenase and, in populations of rat liver mitochondria separated by rate zonal centrifugation (Wilson, M. A. & Cascarano, J.) 209–218
Sucrose, action of *Claviceps purpurea* β-D-fructofuranosidase on (Dickerson, A. G.) 263–272
Sucrose, fatty acid synthetase activities in the liver and epididymal adipose tissue of rats fed with, and other carbohydrates (Bruckdorfer, K. R., Kahn, I. H. & Yudkin, J.) 439–446
Sulphate, activation by, of the nicotinamide–adenine dinucleotide phosphate-linked isocitrate dehydrogenase isoenzyme from rat heart (Islam, M., Bell, J. L. & Baron, D. N.) 1003–1011
Sulphonamides, species variations in the threshold molecular-weight factor for the biliary excretion of, and other organic anions (Hirom, P. C., Millburn, P., Smith, R. L. & Williams, R. T.) 1071–1077

Sweet-potato (*Ipomoea batatas*) tubers, distribution of glucose phosphate isomerase enzymes in, and in tissue cultures of their callus cells (Sasaki, T., Tadokoro, K. & Suzuki, S.) 789–791
Synaptic vesicles, heterogeneity of bound acetylcholine in, from the electric organ of *Torpedo marmorata* (Marchbanks, R. M. & Israël, M.) 1049–1061

Tamm–Horsfall glycoprotein, rabbit, acid and enzymic hydrolysis of *O*-acetylated sialic acid residues of (Neuberger, A. & Ratcliffe, W. A.) 683–693
Taraxacum officinale, *see* Dandelion
Tartrazine, species variations in the threshold molecular-weight factor for the biliary excretion of, and other organic anions (Hirom, P. C., Millburn, P., Smith, R. L. & Williams, R. T.) 1071–1077
Temperature, environmental, effect of, on the kinetic properties of choline acetyltransferase from goldfish brain (Hebb, C., Stephens, T. C. & Smith, M. W.) 1013–1021
Testis, boar, biosynthesis of ^{3}H-labelled 16-unsaturated C_{19} steroids from [7α-^{3}H]pregnenolone by, *in vivo* (Saat, Y. A., Gower, D. B., Harrison, F. A. & Heap, R. B.) 657–663
Tetranitromethane, reaction of, with the tyrosine residues of human lens proteins (Harding, J. J.) 97–100
Thio-β-D-glucosides, mechanism of the biosynthesis of thio-β-D-glucuronides by mouse liver preparations and of, by slug gut preparations (Dutton, G. J. & Illing, H. P. A.) 539–550
Thio-β-D-glucuronides, mechanism of the biosynthesis of thio-β-D-glucosides by slug gut preparations and of, by mouse liver preparations (Dutton, G. J. & Illing, H. P. A.) 539–550
Thiol groups, altered reactivity of, of human lens proteins in cataract (Harding, J. J.) 97–100
Thiol groups, reactivity of, of ox liver uridine diphosphate glucose dehydrogenase (Gainey, P. A., Pestell, T. C. & Phelps, C. F.) 821–830
Thrombin, inhibition by a macromolecular factor from rat liver of the action of, on fibrinogen (Flengsrud, R., Østerud, B. & Prydz, H.) 83–89
[^{3}H]Thymidine, uptake of, by regenerating rat liver (Ord, M. G. & Stocken, L. A.) 175–181
Thymineless death, factor responsible for, in *Bacillus subtilis* (Buick, R. N. & Harris, W. J.) 49P
α-Tocopherol, uptake of, by rat small-intestinal slices (Pearson, C. K. & Legge, A. M.) 16P–17P
Torpedo marmorata, heterogeneity of bound acetylcholine in synaptic vesicles from the electric organ of (Marchbanks, R. M. & Israël, M.) 1049–1061
Toxin, exo-, inhibition of the deoxyribonucleic acid-dependent ribonucleic acid polymerases of mouse liver *in vivo* by, of *Bacillus thuringiensis* in comparison with the effects of α-amanitin and cordycepin (Smuckler, E. A. & Hadjiolov, A. A.) 153–166
Transfer ribonucleic acid, *see* Ribonucleic acid, transfer
Trebouxia sp. 213/3, observations on the mechanism of the alkylation of sterol side chains in (Goad, L. J., Knapp, F. F., Lenton, J. R. & Goodwin, T. W.) 219–222
Triarylmethane dyes, species variations in the threshold molecular-weight factor for the biliary excretion of, and other organic anions (Hirom, P. C., Millburn, P., Smith, R. L. & Williams, R. T.) 1071–1077
Triglycerides, concentrations of, in the plasma of rats fed with various carbohydrates (Bruckdorfer, K. R., Khan, I. H. & Yudkin, J.) 439–446
3,3′,5-Tri-iodothyronine, reversible inhibition by, of the inactivation of tyrosine aminotransferase in rat liver slices (Auricchio, F., Mollica, L. & Liguori, A.) 1131–1138
Triose phosphate isomerase, pH-dependence of the reaction catalysed by, from chicken breast muscle (Plaut, B. & Knowles, J. R.) 311–320
Triose phosphate isomerase, purification, specificity and kinetics of, from chicken breast muscle (Putman, S. J., Coulson, A. F. W., Farley, I. R. T., Riddleston, B. & Knowles, J. R.) 301–310
Triose phosphate isomerase, reaction of bromohydroxyacetone phosphate with a unique glutamic acid residue and the migration of the label to a tyrosine residue of, from chicken breast muscle (de la Mare, S., Coulson, A. F. W., Knowles, J. R., Priddle, J. D. & Offord, R. E.) 321–331
Triticum spp., *see* Wheat
Trypsin, altered susceptibility towards, of human lens proteins in cataract (Harding, J. J.) 97–100
Tubers, potato, enzymic conversion of linoleate into 9-(nona-1′,3′-dienoxy)non-8-enoate by homogenates of (Galliard, T. & Phillips, D. R.) 743–753
Tubers, potato, purification and properties of L(+)-lactate dehydrogenase from (Davies, D. D. & Davies, S.) 831–839
Tubers, sweet-potato, distribution of glucose phosphate isomerase isoenzymes in, and in tissue cultures of their callus cells (Sasaki, T., Tadokoro, K. & Suzuki, S.) 789–791
Tumour cells, ascites, mouse, electrogenic sodium pump as a possible factor leading to the concentration of amino acids by, with reversed sodium ion concentration gradients (Gibb, L. E. & Eddy, A. A.) 979–981
Tumours, hamster, adenovirus-18-induced, identification of the base residues of transfer ribonucleic acid methylated *in vitro* by cell-free extracts of (McFarlane, E. S.) 513–517
Tyrosine aminotransferase, inactivation of, in neutral homogenates and slices of rat liver (Auricchio, F., Mollica, L. & Liguori, A.) 1131–1138
L-Tyrosine, effect of anoxia on the transport and incorporation of, into protein in ox lens (Trayhurn, P. & van Heyningen, R.) 507–509
Tyrosine, enzyme-mediated binding of, to brome-mosaic-virus ribonucleic acid (Hall, T. C., Shih, D. S. & Kaesberg, P.) 969–976
Tyrosine residue, reaction of bromohydroxyacetone phosphate with a unique glutamic acid residue and the migration of the label to, of chicken breast-muscle triose phosphate isomerase (de la Mare, S., Coulson, A. F. W., Knowles, J. R., Priddle, J. D. & Offord, R. E.) 321–331
Tyrosine residues, reaction of tetranitromethane with, of human lens proteins (Harding, J. J.) 97–100

Undecylbenzene-*p*-sulphonate, metabolism of, by *Bacillus* sp. (Willetts, A. J. & Cain, R. B.) 389–402
Uracil, incorporation of, into willardiine and isowillardiine by germinating pea seeds and seedlings (Ashworth, T. S., Brown, E. G. & Roberts, F. M.) 897–905
Urate, biosynthesis of, in the perfused chicken liver (Locke, E., Buttery, P. J. & Boorman, K. N.) 20P
Urea, immobilization of urease on nylon structures and its use in the automated determination of (Inman, D. J. & Hornby, W. E.) 255–262
Urease, immobilization of, on nylon structures and its use in the automated determination of urea (Inman, D. J. & Hornby, W. E.) 255–262
Uridine diphosphate glucose dehydrogenase, liver, ox, subunit structure and reactivity of the thiol groups of (Gainey, P. A., Pestell, T. C. & Phelps, C. F.) 821–830
Uridine diphosphate glucose, enzymic transfer of glucose from, to bilirubin by untreated and digitonin-activated rat liver preparations (Fevery, J., Leroy, P. & Heirwegh, K. P. M.) 619–633
Uridine diphosphate glucose, requirement for, as donor for the biosynthesis of thio-β-D-glucoside by slug gut preparations (Dutton, G. J. & Illing, H. P. A.) 539–550
Uridine diphosphate glucose, structure of the bilirubin conjugate biosynthesized from bilirubin and, by untreated and digitonin-activated rat liver preparations (Fevery, J., Leroy, P., Van de Vijver, M. & Heirwegh, K. P. M.) 635–644
Uridine diphosphate glucuronic acid, requirement for, as donor for the biosynthesis of thio-β-D-glucuronides by mouse liver preparations (Dutton, G. J. & Illing, H. P. A.) 539–550
Uridine diphosphate glucuronic acid, structure of the bilirubin conjugate biosynthesized from bilirubin and, by untreated and digitonin-activated rat liver preparations (Fevery, J., Leroy, P., Van de Vijver, M. & Heirwegh, K. P. M.) 635–644
Uridine diphosphate glucuronyltransferase, digitonin-activated, assay and properties of the activity of, of rat liver preparations with bilirubin as substrate (Heirwegh, K. P. M., Van de Vijver, M. & Fevery, J.) 605–618
Uridine diphosphate xylose, enzymic transfer of xylose from, to bilirubin by untreated and digitonin-activated rat liver preparations (Fevery, J., Leroy, P. & Heirwegh, K. P. M.) 619–633
Uridine diphosphate xylose, inhibition by, of the activity of ox liver uridine diphosphate glucose dehydrogenase (Gainey, P. A., Pestell, T. C. & Phelps, C. F.) 821–830
Uridine diphosphate xylose, structures of the bilirubin conjugates biosynthesized from bilirubin and, by untreated and digitonin-activated rat liver preparations (Fevery, J., Leroy, P., Van de Vijver, M. & Heirwegh, K. P. M.) 635–644
Uridine 5′-monophosphate, conversion of orotate into, by isolated perfused normal and regenerating rat liver (Fausto, N.) 811–820
Uridine monophosphate, enzymic aspects of the control of the biosynthesis of carbamoyl phosphate and its utilization in the pathways for the biosynthesis of arginine and of, and other pyrimidine nucleotides in mung-bean seedlings (Ong, B. L. & Jackson, J. F.) 583–593
Uridine monophosphate, inhibition by, and other uridine nucleotides of aspartate carbamoyltransferase from mung-bean seedlings (Ong, B. L. & Jackson, J. F.) 571–581
[^{3}H]Uridine, uptake of, by regenerating rat liver (Ord, M. G. & Stocken, L. A.) 175–181
Urinary (Tamm–Horsfall) glycoprotein, rabbit, acid and enzymic hydrolysis of *O*-acetylated sialic acid residues of (Neuberger, A. & Ratcliffe, W. A.) 683–693
Urine, excretion of conjugates of phenol and of quinol as metabolites of phenylmercuric acetate in, in the rat (Daniel, J. W., Gage, J. C. & Lefevre, P. A.) 961–967
Urine, excretion of ^{3}H-labelled 16-unsaturated C_{19} steroids as metabolites of [7α-^{3}H]pregnenolone in, of the boar (Saat, Y. A., Gower, D. B., Harrison, F. A. & Heap, R. B.) 657–663
Urine, excretion of metabolites of ^{14}C-labelled α-methyldopa in, in normal and hypertensive human subjects (Au, W. Y. W., Dring, L. G., Grahame-Smith, D. G., Isaac, P. & Williams, R. T.) 1–10
Urine, excretion of metabolites of [^{14}C]methamphetamine in, in man, the guinea pig and the rat (Caldwell, J., Dring, L. G. & Williams, R. T.) 11–22
Urine, excretion of norephedrines as metabolites of [^{14}C]amphetamine in, in man (Caldwell, J., Dring, L. G. & Williams, R. T.) 23–24
Urine, identification of metabolites of cyclohexylamine excreted in, of the rat, rabbit, guinea pig and man (Renwick, A. G. & Williams, R. T.) 857–867
d-Urobilin, structure of, isolated from the faeces of human patients treated with broad-spectrum antibiotics (Killilea, S. D. & O'Carra, P.) 1179–1182
Ustilago sphaerogena, *see* Rust fungus

5-Valerolactone, identification of, as a metabolite of cyclopentanol in *Pseudomonas* N.C.I.B. 9872 (Griffin, M. & Trudgill, P. W.) 595–603
L-[U-^{14}C]Valine, incorporation of, into the extracellular α-amylase secreted by *Bacillus amyloliquefaciens* (Grant, M. A. & Coleman, G.) 483–490
Valylhistidine, reaction of glucose with (Dixon, H. B. F.) 203–208
Virus, adeno-, 18, identification of the base residues of transfer ribonucleic acid methylated *in vitro* by cell-free extracts of hamster tumours induced by (McFarlane, E. S.) 513–517
Virus, brome-mosaic, *see* Brome-mosaic virus
Vitamin E, *see* α-Tocopherol

Wall, cell, *see* Cell wall
Wheat (*Triticum* spp.) germ, purification and characterization of agglutinin from (LeVine, D., Kaplan, M. J. & Greenaway, P. J.) 847–856
Willardiine, biosynthesis of isowillardiine and, in germinating pea seeds and seedlings (Ashworth, T. S., Brown, E. G. & Roberts, F. M.) 897–905

Xylose, enzymic transfer of, from uridine diphosphate xylose to bilirubin by untreated and digitonin-activated rat liver preparations (Fevery, J., Leroy, P. & Heirwegh, K. P. M.) 619–633

Yeast, baker's, kinetics of the reaction catalysed by fructose 1,6-diphosphate-activated pyruvate kinase MacFarlane, N. & Ainsworth, S.) 1035–1047

Yeast, baker's (*Saccharomyces cerevisiae*), anomalous behaviour of isocitrate dehydrogenase from, during isoelectric focusing (Illingworth, J. A.) 1125–1130

Yeast, baker's (*Saccharomyces cerevisiae*), purification of isocitrate dehydrogenase from (Illingworth, J. A.) 1119–1124

Yeast (*Saccharomyces cerevisiae*), study of the phosphate linkages in phosphomannan from the cell walls of (Cawley, T. N., Harrington, M. G. & Letters, R.) 711–720